

TORQUE DRILL	03	BENCH GRINDER	61-62
ELECTRIC DRILL	03-04	BLET&DISE SANDER	62
ELECTRIC SCREWDRIVER	04	TILE CUTTER	62-63
IMPACT DRILL	05-06	THICKNESS PLANER	63
LOW-SPEED DRILL	07	BENCH PLANER	64
WATER DRILL	07-08	DRILL PRESS	64-65
MAGNETIC DRILL	08	VACUUM CLEANER WET&DRY	65
IMPACT WRENCH	09	ASH VACUUM CLEANER	66
ROTARY HAMMER	09-12	ELECTRIC LEAF BLOWER	66-67
DEMOLITION BREAKER	13-14	ELECTRIC VACUUM BLOWER	67
ANGLE GRINDER	15-17	ELECTRIC GRASS TRIMMER	68-69
ELECTRIC POLISHER	18-20	ELECTRIC WEED SWEEPER	69-70
CABLE REEL	20-21	ELECTRIC CHAIN SAW	70-72
MINI GRINDER	22-25	ELECTRIC HEDGE TRIMMER	72-73
ELECTRIC SANDER	25-27	ELECTRIC POLE CHAINSAW	73
BELT SANDER	27-28	POLE HEDGE TRIMMER	74
ELECTRIC PLANER	28-29	MULTI FUNCTION MACHINE	74
ELECTRIC TRIMMER	29-30	ELECTRIC GARDEN SHREDDER	75
ELECTRIC ROUTER	30	ELECTRIC SNOW THROWER	75-76
JIG SAW	31-32	ELECTRIC FARMING TILLER	76
RECIPROCATING SAW	33-34	ELECTRIC LAWN MOWER	77-78
CIRCULAR SAW	34-36	HIGH PRESSURE CLEANER	78-80
MINI CIRCULAR SAW	36-37	ELECTRIC WATER PUMPS	80-84
MULTI TOOL	37-38	Submersible Pumps	80-81
MARBLE CUTTER	38-39	Garden Pumps	81
BISCUIT JOINER	40	Peripheral Pumps	82
WALL CHASER	40-41	Centrifugal Pumps	82-83
ELECTRIC MIXER	42	Jet Pumps	83
DRYWALL SANDER	43-44	Self-priming Pumps	84
SPRAY GUN	44-46	Vibration Pumps	84
GLUE GUN	46-47	Submersible Deep Well Pumps	
SOLDERING TOOL	47-49	BATTERY CHARGER	85
Soldering Iron	47-48	WELDING MACHINE	86-87
Soldering Gun	48-49	MMA	86
HOT KNIFE	49	MIG	87
PIPE WELDING MACHINE	49-50	Multifunctional Welding Machine	87
HOT AIR GUN	50-52	AIR COMPRESSOR	88
THERMAL WEEDING	53	Direct Driven Air Compressor	88
ELECTRIC BLOWER	53	Oilfree Air Compressor	88
BLOWER FAN	54	CAR PRODUCTS	89-95
ANIMAL SCISSORS	55-56	Car Air Compressor	89-91
SHARPENER CHAIN	56	Car Vacuum Cleaner	91-92
MITRE SAW	57-59	Car Battery Charger	93
TABLE SAW	59-60	Car Jump Starter	93
CUT-OFF MACHINE	60-61	Car Wrench	94
		Car Jack	94
		Car Jack Combination	95



TD01

Torque Drill



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	0-800rpm
Chuck Size:	10mm
Torque Setting:	23+1

Color Box Size:48.5x37x23cm/10pcs G.W:15.5kgs



TD02

Torque Drill



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	0-750rpm
Chuck Size:	10mm
Torque Setting:	19+1

Color Box Size:48.5x37x23cm/10pcs G.W:15kgs



TD03

Torque Drill



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	0-350/0-1000rpm
Chuck Size:	10mm
Torque Setting:	19+1

Color Box Size:48.5x37x23cm/10pcs G.W:15kgs



TD04

Torque Drill



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	0-750rpm
Chuck Size:	10mm
Torque Setting:	8+1

Color Box Size:48.5x37x23cm/10pcs G.W:15kgs



TD05

Torque Drill



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	0-350/0-1000rpm
Chuck Size:	10mm
Torque Setting:	19+1

Color Box Size:48.5x37x23cm/10pcs G.W:15kgs



ED01

Electric Drill



320W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	320W
No-load Speed:	0-4500rpm
Chuck Size:	6mm

Color Box Size:52.5x40.5x22cm/10pcs G.W:15kgs



ED02

Electric Drill



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	0-4000rpm
Chuck Size:	6.5mm

Color Box Size:46.5x34.5x24.5cm/10pcs G.W:15kgs



ED03

Electric Drill



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	0-3500rpm
Chuck Size:	10mm

Color Box Size:52.5x40.5x22cm/10pcs G.W:15kgs





ED04

| Electric Drill



500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-2700rpm
Chuck Size:	10mm



Color Box Size: 51x39x27.5cm/10pcs G.W.: 17kgs

ED05

| Electric Drill



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-2600rpm
Chuck Size:	10mm



Color Box Size: 46.5x34.5x24.5cm/10pcs G.W.: 16kgs

ED06

| Electric Drill



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-3000rpm
Chuck Size:	10mm



Color Box Size: 57x45x27cm/10pcs G.W.: 20kgs

ED07

| Electric Drill



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	0-2800rpm
Chuck Size:	10mm



Color Box Size: 58.5x37.5x24.5cm/10pcs G.W.: 17kgs



ES01

| Electric Screwdriver



620W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	620W
No-load Speed:	0-4300rpm
Chuck Size:	1/4"
Screw Size:	6mm



Color Box Size: 59x42x24.5cm/10pcs G.W.: 22kgs

ES02

| Electric Screwdriver



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-4000rpm
Chuck Size:	1/4"
Screw Size:	4-8mm



Color Box Size: 59.5x42x27.5cm/10pcs G.W.: 22kgs





ID01
Impact Drill

500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:19kgs
Size:53.5x38.5x23.5cm/10pcs

ID02
Impact Drill

550W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:19kgs
Size:57x37.5x26cm/10pcs

ID03
Impact Drill

650W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:20kgs
Size:59x40x26cm/10pcs

ID04
Impact Drill

710W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:21.5kgs
Size:59x40x26cm/10pcs

ID05
Impact Drill

800W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:21.5kgs
Size:59x40x26cm/10pcs

ID06
Impact Drill

900W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	16mm
Wood:	25mm



Color Box G.W:22kgs
Size:56x37x26.5cm/10pcs

ID07
Impact Drill

500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:19kgs
Size:53.5x38.5x23.5cm/10pcs

ID08
Impact Drill

650W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:19.5kgs
Size:53.5x38.5x23.5cm/10pcs



ID09

Impact Drill



600W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	16mm
Wood:	25mm



Color Box G.W:20kgs
Size:58.5x37.5x24.5cm/10pcs

ID10

Impact Drill



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	16mm
Wood:	25mm



Color Box G.W:22kgs
Size:58.5x37.5x24.5cm/10pcs

ID11

Impact Drill



710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	16mm
Wood:	25mm



Color Box G.W:21.5kgs
Size:61x42x28.5cm/10pcs

ID12

Impact Drill



500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:20kgs
Size:56x37x26.5cm/10pcs

ID13

Impact Drill



600W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	13mm
Wood:	25mm



Color Box G.W:21kgs
Size:56x37x26.5cm/10pcs

ID14

Impact Drill



950W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	950W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	16mm
Wood:	25mm



Color Box G.W:22kgs
Size:56x37x26.5cm/10pcs

ID15

Impact Drill



1050W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-1100/0-3100rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	20mm
Wood:	40mm



Color Box G.W:23kgs
Size:40x29x55cm/10pcs

ID16

Impact Drill



1050W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-1200/0-3200rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	20mm
Wood:	40mm



Color Box G.W:17.5kgs
Size:47x36x29cm/5pcs

ID17

Impact Drill



1050W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-1200/0-3200rpm
Chuck Size:	13mm
Drilling Capacity:	
Steel:	13mm
Concrete:	20mm
Wood:	40mm



Color Box G.W:17.5kgs
Size:47x36x29cm/5pcs



LS01

Low-Speed Drill



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-750rpm
Chuck Size:	16mm



Color Box Size:52x32x35cm/5pcs G.W:19kgs

LS02

Low-Speed Drill



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	700rpm
Chuck Size:	16mm



Color Box Size:52x32x35cm/5pcs G.W:19.5kgs

LS03

Low-Speed Drill



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	0-750rpm
Chuck Size:	16mm



Color Box Size:57x34x33cm/4pcs G.W:19kgs

LS04

Low-Speed Drill



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	0-450rpm
Chuck Size:	16mm



Color Box Size:52x32x35cm/5pcs G.W:20kgs



WD01

Water Drill



1650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1650W
No-load Speed:	1700rpm
Dia.of wheel:	130mm



Color Box Size:63x34x29.5cm/5pcs G.W:23.5kgs

WD02

Water Drill



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	1700rpm
Dia.of wheel:	160mm



Color Box Size:64x34x31cm/5pcs G.W:25.5kgs

WD03

Water Drill



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	1500rpm
Dia.of wheel:	190mm



Color Box Size:50x37x34cm/4pcs G.W:28kgs



WD04

| Water Drill



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	1500rpm
Dia.of wheel:	230mm



Color Box G.W:20.5kgs
Size:87x34x22.5cm/1pc

WD05

| Water Drill



3500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3500W
No-load Speed:	1500rpm
Dia.of wheel:	260mm



Color Box G.W:23kgs
Size:87x34x22.5cm/1pc

WD06

| Water Drill



5600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	5600W
No-load Speed:	900rpm
Dia.of wheel:	300mm



Color Box G.W:26kgs
Size:97x32x26cm/1pc

WD07

| Water Drill



6000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	6000W
No-load Speed:	700rpm
Dia.of wheel:	400mm



Color Box G.W:28kgs
Size:97x32x26cm/1pc



MD01

| Magnetic Drill



1100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1100W
No-load Speed:	550rpm
Twist Drill:	1.5-13mm
Depth:	160mm
depth:	50mm
Magnet Adhesion:	10000N



Color Box G.W:13kgs
Size:49x41x20cm/1pc

MD02

| Magnetic Drill



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	60-520rpm
Twist Drill:	2.5-32mm
Depth:	180mm
depth:	60mm
Magnet Adhesion:	13900N
Tapping:	M27
Spindle Taper:	MT3



Color Box G.W:21kgs
Size:53x44x20cm/1pc

MD03

| Magnetic Drill



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	520rpm
Twist Drill:	12-50mm
Depth:	40mm
depth:	50mm
Magnet Adhesion:	10000N



Color Box G.W:12kgs
Size:33x21.5x85cm/1pc





IWO1
Impact Wrench



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	3000rpm
Torque:	450N.m
Size Of Spindle:	1/2"



BMC G.W:14kgs
Size:53.5x37x30cm/5pcs

IWO2
Impact Wrench



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	2800rpm
Torque:	400N.m
Size Of Spindle:	1/2"



BMC G.W:16kgs
Size:44.5x29x28cm/5pcs

IWO3
Impact Wrench



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	2200rpm
Torque:	500N.m
Size Of Spindle:	1/2"



BMC G.W:20kgs
Size:56x36x28cm/5pcs

IWO4
Impact Wrench




720W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	720W
No-load Speed:	3600rpm
Torque:	500N.m
Size Of Spindle:	1/2"



BMC G.W:16kgs
Size:53.5x37x30cm/5pcs



RH01
Rotary Hammer



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-1300rpm
Impact Rate:	0-5980bpm
Impact Energy:	1.2J
Drill Diameter:	
Concrete:	20mm
Steel:	13mm
Wood:	40mm
SDS-plus:	2 Functions



BMC G.W:21kgs
Size:54.5x37x30cm/5pcs

RH02
Rotary Hammer



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-1300rpm
Impact Rate:	0-5980bpm
Impact Energy:	1.2J
Drill Diameter:	
Concrete:	20mm
Steel:	13mm
Wood:	40mm
SDS-plus:	2 Functions



BMC G.W:21kgs
Size:54.5x37x30cm/5pcs

RH03
Rotary Hammer



760W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	760W
No-load Speed:	0-1300rpm
Impact Rate:	0-7200bpm
Impact Energy:	1.5J
Drill Diameter:	
Concrete:	24mm
Steel:	13mm
Wood:	40mm
SDS-plus:	4 Functions



BMC G.W:24kgs
Size:60.5x42x31.5cm/5pcs



RH04

Rotary Hammer



760W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	760W
No-load Speed:	0-1300rpm
Impact Rate:	0-7200bpm
Impact Energy:	1.5J
Drill Diameter:	
Concrete:	24mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:24kgs
Size:60.5x42x31.5cm/5pcs

RH05

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1200rpm
Impact Rate:	0-5300bpm
Impact Energy:	2.2J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25kgs
Size:64.5x43x32.5cm/5pcs

RH06

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1200rpm
Impact Rate:	0-5300bpm
Impact Energy:	2.2J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25kgs
Size:64.5x43x32.5cm/5pcs

RH07

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1200rpm
Impact Rate:	0-5300bpm
Impact Energy:	2.2J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25kgs
Size:64.5x43x32.5cm/5pcs

RH08

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1200rpm
Impact Rate:	0-5300bpm
Impact Energy:	2.2J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25kgs
Size:64.5x43x32.5cm/5pcs

RH09

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1200rpm
Impact Rate:	0-5200bpm
Impact Energy:	2.7J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25.5kgs
Size:56x43x29cm/5pcs

RH10

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1120rpm
Impact Rate:	0-5200bpm
Impact Energy:	2.7J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:28.5kgs
Size:59x43x31cm/5pcs

RH11

Rotary Hammer



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-1650rpm
Impact Rate:	0-5500bpm
Impact Energy:	3.0J
Drill Diameter:	
Concrete:	28mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:26kgs
Size:56x43x29cm/5pcs

RH12

Rotary Hammer



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-1120rpm
Impact Rate:	0-5200bpm
Impact Energy:	2.7J
Drill Diameter:	
Concrete:	28mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:25.5kgs
Size:59x43x31cm/5pcs



RH13

Rotary Hammer

1050W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	1050rpm
Impact Rate:	4250bpm
Impact Energy:	4.5J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	3Functions



BMC G.W.:14.5kgs
Size:42.5x25.5x35.5cm/2pcs

RH14

Rotary Hammer

1050W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	900rpm
Impact Rate:	4300bpm
Impact Energy:	4.5J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	43mm
SDS-plus	3 Functions



BMC G.W.:24kgs
Size:44x40.5x36cm/3pcs

RH15

Rotary Hammer

1100W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1100W
No-load Speed:	0-880rpm
Impact Rate:	0-4500bpm
Impact Energy:	5.5J
Drill Diameter:	26mm
Concrete:	13mm
Steel:	40mm
Wood:	3Functions
SDS-plus	



BMC G.W.:32kgs
Size:53.5x44x36cm/4pcs

RH16

Rotary Hammer

1100W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1100W
No-load Speed:	0-880rpm
Impact Rate:	0-4500bpm
Impact Energy:	5.5J
Drill Diameter:	
Concrete:	26mm
Steel:	13mm
Wood:	40mm
SDS-plus	3 Functions



BMC G.W.:32kgs
Size:53.5x44x36cm/4pcs

RH17

Rotary Hammer

1200W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	850rpm
Impact Rate:	4200bpm
Impact Energy:	4.8J
Drill Diameter:	
Concrete:	28mm
Steel:	13mm
Wood:	40mm
SDS-plus	3 Functions



BMC G.W.:17.5kgs
Size:42.5x27x34cm/2pcs

RH18

Rotary Hammer

1500W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	850rpm
Impact Rate:	4500bpm
Impact Energy:	6J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	50mm
SDS-plus	3 Functions



BMC G.W.:25kgs
Size:44x40.5x36cm/3pcs



RH19

Rotary Hammer

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	850rpm
Impact Rate:	4200bpm
Impact Energy:	5.5J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	42mm
SDS-plus	3 Functions



BMC G.W.:16.5kgs
Size:44x28x35.5cm/2pcs

RH20

Rotary Hammer

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	850rpm
Impact Rate:	4200bpm
Impact Energy:	5.5J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	42mm
SDS-plus	4 Functions



BMC G.W.:16.5kgs
Size:44x28x35.5cm/2pcs

RH21

Rotary Hammer

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	850rpm
Impact Rate:	4200bpm
Impact Energy:	6J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	42mm
SDS-plus	4 Functions



BMC G.W.:16.5kgs
Size:44x28x35.5cm/2pcs

RH22

Rotary Hammer

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	880rpm
Impact Rate:	3800bpm
Impact Energy:	7.8J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	40mm
SDS-plus	3 Functions



BMC G.W.:32kgs
Size:50x45x35.5cm/4pcs

RH23

Rotary Hammer

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	880rpm
Impact Rate:	3800bpm
Impact Energy:	7.8J
Drill Diameter:	
Concrete:	32mm
Steel:	13mm
Wood:	40mm
SDS-plus	4 Functions



BMC G.W.:32kgs
Size:53.5x44x36cm/4pcs

RH24

Rotary Hammer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	0-650rpm
Impact Rate:	0-3800bpm
Impact Energy:	12J
Drill Diameter:	
Concrete:	42mm
Steel:	13mm
Wood:	50mm
SDS-MAX	3 Functions



BMC G.W.:23.5kgs
Size:55x26x37cm/2pcs

RH25

Rotary Hammer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	560rpm
Impact Rate:	3800bpm
Impact Energy:	20J
Drill Diameter:	
Concrete:	40mm
Steel:	13mm
Wood:	50mm
SDS-MAX	2 Functions



BMC G.W.:22kg
Size:51x28x41cm/2pcs

RH26

Rotary Hammer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	0-630rpm
Impact Rate:	0-3800bpm
Impact Energy:	10J
Drill Diameter:	
Concrete:	42mm
Steel:	16mm
Wood:	50mm
SDS-MAX	3 Functions



BMC G.W.:24kgs
Size:51.5x29x41.5cm/2pcs

RH27

Rotary Hammer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	175-350rpm
Impact Rate:	900-2300bpm
Impact Energy:	25J
Drill Diameter:	
Concrete:	50mm
Steel:	18mm
Wood:	60mm
SDS-MAX	3 Functions



BMC G.W.:18.5kgs
Size:65x39.5x18.5cm/1pc



DB01
Demolition Breaker



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3750bpm
Impact Energy:	15J
SDS-Hex	



BMC G.W:24kgs
Size:52.5x39.5x38.5cm/3pcs

DB02
Demolition Breaker



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3750bpm
Impact Energy:	15J
SDS-Max	



BMC G.W:24kgs
Size:52.5x39.5x38.5cm/3pcs

DB03
Demolition Breaker



1300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1300W
No-load Speed:	4100bpm
Impact Energy:	15J
SDS-Max	



BMC G.W:18.3kgs
Size:52x31x39cm/2pcs

DB04
Demolition Breaker



1450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1450W
No-load Speed:	3700bpm
Impact Energy:	20J
SDS-Hex	



BMC G.W:28kgs
Size:54x44x36cm/3pcs

DB05
Demolition Breaker



1300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1300W
No-load Speed:	3900bpm
Impact Energy:	15J
SDS-Max	



BMC G.W:22kgs
Size:51x26x34cm/2pcs



DB06

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	200-2100bpm
Impact Energy:	45J
SDS-Max	



BMC Size:72.5x18x34.5cm/1pc G.W:18kgs

DB07

Demolition Breaker



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	1850bpm
Impact Energy:	50J
SDS-Hex	



BMC Size:71x17x29cm/1pc G.W:22.5kg

DB08

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	2100bpm
Impact Energy:	45J
SDS-Hex	



BMC Size:71x17x35cm/1pc G.W:17kg

DB09

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	1900bpm
Impact Energy:	55J
SDS-Hex	



BMC Size:73x18x36.5cm/1pc G.W:23kgs

DB10

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	1850bpm
Impact Energy:	55J
SDS-Hex	



Metal box Size:71x17x29cm/1pc G.W:23kg

DB11

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	1900bpm
Impact Energy:	55J
SDS-Hex	



Metal box Size:71x17x30.5cm/1pc G.W:24kgs

DB12

Demolition Breaker



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	1900bpm
Impact Energy:	60J
SDS-Hex	



BMC Size:72.5x17.5x36cm/1pc G.W:24kgs

DB13

Demolition Breaker



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	1850bpm
Impact Energy:	65J
SDS-Hex	



Metal box Size:76x17x29cm/1pc G.W:25kg

DB14

Demolition Breaker



1900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1900W
No-load Speed:	2000bpm
Impact Energy:	65J
SDS-Hex	



BMC Size:72x18x39cm/1pc G.W:23.5kgs



AG01
| Angle Grinder



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	11000rpm
Dia.of Wheel:	115/125mm



Color Box G.W:17.5kgs
Size:51x31.5x23cm/10pcs

AG02
| Angle Grinder



650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	11000rpm
Dia.of Wheel:	115mm



Color Box G.W:13.5kgs
Size:43.5x32.5x26cm/6pcs

AG03
| Angle Grinder



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	10500rpm
Dia.of Wheel:	115mm



Color Box G.W:20kgs
Size:56x33.5x26cm/10pcs

AG04
| Angle Grinder



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	12000rpm
Dia.of Wheel:	115mm



Color Box G.W:17.5kgs
Size:53x32x24cm/8pcs

AG05
| Angle Grinder



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	780W
No-load Speed:	11000rpm
Dia.of Wheel:	115/125mm



Color Box G.W:19kgs
Size:64x34x26cm/10pcs

AG06
| Angle Grinder



780W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	780W
No-load Speed:	11000rpm
Dia.of Wheel:	115/125mm



Color Box G.W:19kgs
Size:54.5x32.5x23cm/10pcs

AG07
| Angle Grinder



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	12000rpm
Dia.of Wheel:	115mm



Color Box G.W:20.5kgs
Size:73x33x26cm/10pcs

AG08
| Angle Grinder



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	11000rpm
Dia.of Wheel:	115mm



Color Box G.W:14.5kgs
Size:43.5x32.5x26cm/6pcs



AG09

Angle Grinder



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	10500rpm
Dia.of Wheel:	115mm



 Color Box
Size:56x33.5x26cm/10pcs

G.W:20kgs

AG10

Angle Grinder



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	11000rpm
Dia.of Wheel:	115mm



 Color Box
Size:65.5x33x21cm/10pcs

G.W:22kgs

AG11

Angle Grinder



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	3000-12000rpm
Dia.of Wheel:	115mm



 Color Box
Size:73.5x33x26cm/10pcs

G.W:21.5kgs

AG12

Angle Grinder



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	3000-12000rpm
Dia.of Wheel:	115mm



 Color Box
Size:73.5x33x26cm/10pcs

G.W:21.5kgs

AG13

Angle Grinder



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	11000rpm
Dia.of Wheel:	115/125mm



 Color Box
Size:54.5x32.5x23cm/10pcs

G.W:19kgs

AG14

Angle Grinder



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	11000rpm
Dia.of Wheel:	115mm



 Color Box
Size:43.5x32.5x26cm/6pcs

G.W:17kgs

AG15

Angle Grinder



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	11000rpm
Dia.of Wheel:	115/125mm



 Color Box
Size:64x34x26cm/10pcs

G.W:20kgs

AG16

Angle Grinder



1400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	11000rpm
Dia.of Wheel:	115mm



 Color Box
Size:54x37x27cm/8pcs

G.W:21kgs

AG17

Angle Grinder



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3000-12000rpm
Dia.of Wheel:	125mm



 Color Box
Size:61x42.5x25cm/8pcs

G.W:19kgs



AG18

| Angle Grinder



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	0-12000rpm
Dia.of Wheel:	125mm



Color Box Size:59x44x26cm/8pcs G.W.:20.5kgs

AG19

| Angle Grinder



1300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1300W
No-load Speed:	3000-12000rpm
Dia.of Wheel:	125mm



Color Box Size:59x44x26cm/8pcs G.W.:21kgs

AG20

| Angle Grinder



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	6500rpm
Dia.of Wheel:	230mm



Color Box Size:55x20x26cm/2pcs G.W.:10.5kgs

AG21

| Angle Grinder



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	6000rpm
Dia.of Wheel:	230mm



Color Box Size:56x27x19.5cm/2pcs G.W.:10.5kgs

AG22

| Angle Grinder



2300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2300W
No-load Speed:	6000rpm
Dia.of Wheel:	230mm



Color Box Size:43.5x32.5x26cm/2pcs G.W.:13kgs

AG23

| Angle Grinder



2400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2400W
No-load Speed:	6000rpm
Dia.of Wheel:	180/230mm



Color Box Size:53.5x34x19.5cm/2pcs G.W.:12.5kgs

AG24

| Angle Grinder



2600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2600W
No-load Speed:	6000rpm
Dia.of Wheel:	180/230mm



Color Box Size:53.5x34x19.5cm/2pcs G.W.:13.5kgs

AG25

| Angle Grinder



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	6000rpm
Dia.of Wheel:	180/230mm



Color Box Size:53.5x34x19.5cm/2pcs G.W.:14kgs





CP2401

Electric Polisher



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	600-3000rpm
Dia. of Plate:	125mm



Color Box Size:43.5x42.5x26cm/10pcs G.W:16kgs

CP2402

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	800-3000rpm
Dia. of Plate:	150mm



Color Box Size:46.5x43.5x30cm/6pcs G.W:18kgs

CP2403

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	600-3000rpm
Dia. of Plate:	180mm



Color Box Size:46.5x44x30cm/6pcs G.W:16kgs

CP2404

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	600-3000rpm
Dia. of Plate:	180mm



Color Box Size:46.5x44x30cm/6pcs G.W:22kgs

CP2405

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	1000-3000rpm
Dia. of Plate:	180mm



Color Box Size:49x29x32cm/4pcs G.W:16kgs

CP2406

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	800-3500rpm
Dia. of Plate:	180mm



Color Box Size:44.5x27.5x29cm/4pcs G.W:12.5kgs

CP2407

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	800-3500rpm
Dia. of Plate:	180mm



Color Box Size:44.5x27.5x29cm/4pcs G.W:12.5kgs

CP2408

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	0-3000rpm
Dia. of Plate:	180mm



Color Box Size:44x30x27.5cm/4pcs G.W:18kgs



CP2409

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	800-3000rpm
Dia.of Plate:	180mm



 Color Box
Size:55.5x48.5x28cm/6pcs

G.W:17kgs

CP2410

Electric Polisher



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	1600-3500rpm
Dia.of Plate:	



 Color Box
Size:41x41x32cm/6pcs

G.W:18kgs

CP2411

Electric Polisher



1400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	800-3000rpm
Dia.of Plate:	180mm



 Color Box
Size:55.5x41.5x34cm/4pcs

G.W:21kgs

CP2412

Electric Polisher



800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	1500-4500rpm
Dia.of Plate:	150mm
Orbit:	8mm



 Color Box
Size:48x38x32cm/6pcs

G.W:14kgs

CP2413

Electric Polisher



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	2000-5200rpm
Dia.of Plate:	150mm
Orbit:	15 & 21mm



 Color Box
Size:48x38x32cm/6pcs

G.W:17.5kgs

CP2414

Electric Polisher



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	2500-6500rpm
Dia.of Plate:	125 & 150mm
Orbit:	8 & 12mm



 Color Box
Size:47x38x27cm/4pcs

G.W:15kgs

CP2415

Electric Polisher



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	2000-5000rpm
Dia.of Plate:	125 & 150mm
Orbit:	12 & 15mm



 Color Box
Size:53x35.5x31cm/4pcs

G.W:15kgs

CP2416

Electric Polisher



780W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	780W
No-load Speed:	2000-5000rpm
Dia.of Plate:	125 & 150mm
Orbit:	12 & 15mm



 Color Box
Size:53x35.5x31cm/4pcs

G.W:15kgs

CP2417

Electric Polisher



810W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	810W
No-load Speed:	1650-4800rpm
Dia.of Plate:	125 & 150mm
Orbit:	15 & 21mm



 Color Box
Size:53x35.5x31cm/4pcs

G.W:15kgs



CP2418

| Electric Polisher



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	2000-4500rpm
Dia.of Plate:	125 & 150mm
Orbit:	15 & 21mm



Color Box Size:53x35.5x31cm/4pcs G.W:15kgs

CP2419

| Electric Polisher



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	2000-4500rpm
Dia. of Plate:	125 & 150mm
Orbit:	15 & 21mm



Color Box Size:53x35.5x31cm/4pcs G.W:15kgs

CP2420

| Electric Polisher



1380W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1380W
No-load Speed:	600-3000rpm
Polishing Diameter:	120mm
Polishing Width:	100mm



Color Box Size:52x45.5x31cm/4pcs G.W:22kgs

CP2421

| Electric Polisher




1380W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1380W
No-load Speed:	600-3000rpm
Polishing Diameter:	120mm
Polishing Width:	100mm



Color Box Size:52x45.5x31cm/4pcs G.W:22kgs



CR01-A

| Cable Reel



3/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	3/4"
Working Pressure:	8bar
Hose Material:	PVC
Hose Size:	1/2"
Hose Length:	10+1m
Temperature:	-5°—55°



Color Box Size:37x19.5x34.5cm/4pcs G.W:6.5kgs

CR01-B

| Cable Reel



3/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	3/4"
Working Pressure:	8bar
Hose Material:	PVC
Hose Size:	1/2"
Hose Length:	15+1.5m
Temperature:	-5°—55°



Color Box Size:43x21.5x40.5cm/1pc G.W:8kgs

CRO1-C
| Cable Reel



3/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	3/4"
Working Pressure:	8bar
Hose Material:	PVC
Hose Size:	1/2"
Hose Length:	20+2m
Tempreture:	-5°—55°



 Color Box
Size:45x23.5x43.5cm/1pc G.W:10.5kgs

CRO2-A
| Cable Reel



1/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	1/4"
Working Pressure:	15bar
Hose Material:	PVC
Hose Size:	3/8"
Hose Length:	10+1m
Tempreture:	-5°—55°



 Color Box
Size:37x19.5x34.5cm/4pcs G.W:7.5kgs

CRO2-B
| Cable Reel



1/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	1/4"
Working Pressure:	15bar
Hose Material:	PVC
Hose Size:	3/8"
Hose Length:	15+1.5m
Tempreture:	-5°—55°



 Color Box
Size:37x19.5x34.5cm/4pcs G.W:9kgs

CRO2-C
| Cable Reel



1/4"

SPECIFICATIONS:	
Casing Material:	PP
Fitting:	1/4"
Working Pressure:	15bar
Hose Material:	PVC
Hose Size:	3/8"
Hose Length:	20+2m
Tempreture:	-5°—55°



 Color Box
Size:45x23.5x43.5cm/1pc G.W:10.6kgs

CRO3-A
| Cable Reel



1500W-3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W-3000W
Casing Material:	PP
Cable Material:	H05VV-F3G1.5mm ²
Cable Length:	10+1m
Plug&Socket:	IP20 Germany



 Color Box
Size:62x36x35cm/4pc G.W:21kgs

CRO3-B
| Cable Reel



1500W-3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W-3000W
Casing Material:	PP
Cable Material:	H05VV-F3G1.5mm ²
Cable Length:	15+1m
Plug&Socket:	IP20 Germany



 Color Box
Size:62x36x35cm/4pcs G.W:23.5kgs

CRO3-C
| Cable Reel




1500W-3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W-3000W
Casing Material:	PP
Cable Material:	H05VV-F3G1.5mm ²
Cable Length:	20+1m
Plug&Socket:	IP20 Germany



 Color Box
Size:40.5x39x37.5cm/2pcs G.W:15kgs





MG01-A

Mini Grinder



40pcs
MG01-B

 BMC
Size:44x32x39cm/10pcs
G.W:15kgs



40pcs
MG01-C

 BMC
Size:47x32x45cm/10pcs
G.W:18kgs



161pcs
MG01-D

 Transparent case
Size:40.5x39x38cm/6pcs
G.W:12kgs

40pcs

 **135W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	135W
No-load Speed:	10000-32000rpm
Collet Size:	ø3.2mm



 **Color Box**
Size:46.5x29.5x29cm/20pcs
G.W:18kgs



234pcs
MG01-E

 Transparent case
Size:38.5x27.5x38cm/6pcs
G.W:10kgs



210pcs
MG01-F

 Transparent case
Size:42x35.5x30.5cm/6pcs
G.W:12kgs

MG02-A

Mini Grinder



40pcs
MG02-B

 BMC
Size: 44x32x39cm/10pcs
G.W: 15kgs



40pcs
MG02-C

 BMC
Size: 47x32x45cm/10pcs
G.W: 18kgs



161pcs
MG02-D

 Transparent case
Size: 40.5x39x38cm/6pcs
G.W: 12kgs

40pcs

 **135W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	135W
No-load Speed:	10000-32000rpm
Collet Size:	ø3.2mm



 Color Box
Size: 46.5x29.5x29cm/20pcs
G.W: 18kgs



234pcs
MG02-E

 Transparent case
Size: 38.5x27.5x38cm/6pcs
G.W: 10kgs



210pcs
MG02-F

 Transparent case
Size: 42x35.5x30.5cm/6pcs
G.W: 12kgs



MG03-A

Mini Grinder



40pcs

MG03-B



BMC
Size:44x31x38cm/10pcs
G.W:16kgs



40pcs

MG03-C



BMC
Size:44x34.5x39.5cm/10pc
G.W:19kgs



210pcs

MG03-D



Transparent case
Size:38x32x38cm/5pcs
G.W:11kgs

40pcs



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	8000-32000rpm
Collet Size:	ø3.2mm



Color Box
Size:31x28x26cm/10pcs

G.W:8.5kgs



252pcs

MG03-E



Transparent case
Size:36x36x34cm/5pcs
G.W:11kgs

MG04

Mini Grinder



190W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	190W
No-load Speed:	10000-32000rpm
Collet Size:	6mm



Color Box
Size:48x31x34cm/20pcs

G.W:22kgs

MG05

Mini Grinder



280W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	280W
No-load Speed:	10000-32000rpm
Collet Size:	6mm



Color Box
Size:48x31x34cm/20pcs

G.W:23kgs

MG06

Mini Grinder



500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	4500-30000rpm
Collet Size:	6mm



Color Box
Size:55x31.5x20cm/10pcs

G.W:17.5kgs



MG07

Mini Grinder



550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	8000-28000rpm
Collet Size:	6mm



Color Box Size:61.5x35x19cm/10pcs G.W.:16kgs

MG08

Mini Grinder



500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	27000rpm
Collet Size:	6mm



Color Box Size:71x44x26cm/10pcs G.W.:23kgs

MG09

Mini Grinder



550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	32000rpm
Collet Size:	6mm



Color Box Size:55x45x19cm/10pcs G.W.:21kgs

MG10

Mini Grinder



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	8000-28000rpm
Collet Size:	6mm



Color Box Size:52x40.5x19cm/10pcs G.W.:19kgs



FS01

Electric Sander



135W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	135W
No-load Speed:	11000rpm
Sanding Pad Size:	187x90mm



Color Box Size:57x30.5x35cm/10pcs G.W.:16kgs

FS02

Electric Sander



150W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	11000rpm
Sanding Pad Size:	187x90mm



Color Box Size:57x30.5x35cm/10pcs G.W.:16kgs

FS03

Electric Sander



160W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	160W
No-load Speed:	12000rpm
Sanding Pad Size:	187x90mm



Color Box Size:49x29x34cm/10pcs G.W.:16kgs

FS04

Electric Sander



180W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	180W
No-load Speed:	13000rpm
Sanding Pad Size:	112x104mm



Color Box Size:65x20x32cm/10pcs G.W.:17kgs



FS05

| Electric Sander



200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	200W
No-load Speed:	14000rpm
Sanding Pad Size:	110x100mm



Color Box
Size:67x18x30cm/10pcs G.W:16kgs

FS06

| Electric Sander



200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	200W
No-load Speed:	14000rpm
Sanding Pad Size:	110x101mm



Color Box
Size:25x30x33cm/4pcs G.W:5.5kgs

FS07

| Electric Sander



230W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	230W
No-load Speed:	14000rpm
Sanding Pad Size:	110x100mm



Color Box
Size:64x21.5x33cm/10pcs G.W:13kgs

FS08

| Electric Sander



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	14000rpm
Sanding Pad Size:	110x100mm



Color Box
Size:64x21.5x33cm/10pcs G.W:13kgs

FS09

| Electric Sander



260W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	260W
No-load Speed:	13000rpm
Sanding Pad Size:	110x100mm



Color Box
Size:62x42x16cm/10pcs G.W:15.5kgs

FS10

| Electric Sander



140W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	140W
No-load Speed:	13000rpm
Sanding Pad Size:	140x140x80mm



Color Box
Size:57x20x32cm/10pcs G.W:15kgs

FS11

| Electric Sander



140W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	140W
No-load Speed:	13000rpm
Sanding Pad Size:	140x140x80mm



Color Box
Size:57x20x32cm/10pcs G.W:15kgs

FS12

| Electric Sander



140W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	140W
No-load Speed:	13000rpm
Sanding Pad Size:	140x140x80mm



Color Box
Size:57x20x32cm/10pcs G.W:15kgs

FS13

| Electric Sander



350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	6000-12000rpm
Sanding Pad Size:	125mm



Color Box
Size:67x22x34cm/10pcs G.W:17kgs



FS14

| Electric Sander



350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	6000-12000rpm
Sanding Pad Size:	125mm



Color Box Size:67x22x34cm/10pcs G.W.:17kgs

FS15

| Electric Sander



350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	12000rpm
Sanding Pad Size:	125mm



Color Box Size:67x22x34cm/10pcs G.W.:17kgs

FS16

| Electric Sander



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	6000-12000rpm
Sanding Pad Size:	125mm



Color Box Size:41x32x40cm/6pcs G.W.:14kgs

FS17

| Electric Sander



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	6000-12000rpm
Sanding Pad Size:	125mm



Color Box Size:41x32x40cm/6pcs G.W.:14kgs

FS18

| Electric Sander



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	12000rpm
Sanding Pad Size:	125mm



Color Box Size:41x32x40cm/6pcs G.W.:14kgs

FS19

| Electric Sander



400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	400W
No-load Speed:	5000-10000rpm
Sanding Pad Size:	127mm
Orbit:	5mm



Color Box Size:35x34x34cm/4pcs G.W.:8.5kgs

FS20

| Electric Sander



350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	4000-10000rpm
Sanding Pad Size:	150mm
Orbit:	5mm



Color Box Size:89x36.5x30cm/10pcs G.W.:23kgs



BELT SANDER



BS01

| Belt Sander



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	120-380rpm
Sanding Belt Size:	76x457mm



Color Box Size:34.5x34x33.5cm/4pcs G.W.:13kgs



BS02

| Belt Sander



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	120-380rpm
Sanding Belt Size:	76x533mm



Color Box Size:40.5x35.5x40cm/4pcs G.W:14.5kgs

BS03

| Belt Sander



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	200-400rpm
Sanding Belt Size:	76x533mm



Color Box Size:38x32.5x34cm/6pcs G.W:17kgs

BS04

| Belt Sander



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-380rpm
Sanding Belt Size:	76x533mm



Color Box Size:50x38.5x44cm/6pcs G.W:22kgs

BS05

| Belt Sander



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	200-380rpm
Sanding Belt Size:	76x533mm



Color Box Size:39x38.5x38.5cm/4pcs G.W:18kgs

BS06

| Belt Sander




1150W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1150W
No-load Speed:	120-380rpm
Sanding Belt Size:	76x533mm



Color Box Size:40.5x35.5x40cm/4pcs G.W:16.5kgs



EP01

| Electric Planer



500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-1mm



Color Box Size:66x33x31cm/6pcs G.W:16kgs

EP02

| Electric Planer



650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-2mm



Color Box Size:68x35x33cm/6pcs G.W:18kgs

EP03

| Electric Planer



280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	16500rpm
Planing Width:	82mm
Planing Depth:	0-2mm



Color Box Size:34x32x37cm/4pcs G.W:12.5kgs



EP04

| Electric Planer



710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-2mm
Rabbeting Depth:	0-10mm



Color Box
Size:41x33x40cm/4pcs

G.W:13kgs

EP05

| Electric Planer



710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-2mm



Color Box
Size:52x32.5x37cm/6pcs

G.W:20kgs

EP06

| Electric Planer



710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	16500rpm
Planing Width:	82mm
Planing Depth:	0-2mm
Rabbeting Depth:	0-7mm



Color Box
Size:34x32x37cm/4pcs

G.W:14kgs

EP07

| Electric Planer



850W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-2.5mm
Rabbeting Depth:	0-11mm



Color Box
Size:36x33x40cm/4pcs

G.W:13kgs

EP08

| Electric Planer



900W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	16000rpm
Planing Width:	82mm
Planing Depth:	0-3mm
Rabbeting Depth:	0-10mm



Color Box
Size:41x33x40cm/4pcs

G.W:13.5kgs

EP09

| Electric Planer



900W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	14500rpm
Planing Width:	82mm
Planing Depth:	0-3mm
Rabbeting Depth:	0-24mm



Color Box
Size:36x34x41.5cm/4pcs

G.W:16.5kgs



ET01

| Electric Trimmer



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	30000rpm
Collet Diameter:	6mm



Color Box
Size:62.5x25x32cm/12pcs

G.W:24kgs

ET02

| Electric Trimmer



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	30000rpm
Collet Diameter:	6mm



Color Box
Size:62.5x25x32cm/12pcs

G.W:24kgs



ET03

| Electric Trimmer



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	13000-33000rpm
Collet Diameter:	8mm



Color Box
Size:50x49.5x17cm/6pcs

G.W:16.5kgs

ET03-A



ET03-B



ET04

| Electric Trimmer



710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	12000-30000rpm
Collet Diameter:	6mm



Color Box
Size:57.5x26x32cm/6pcs

G.W:16kgs

ET05

| Electric Router



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	12000-30000rpm
Depth:	50mm
Collet Diameter:	ø6 & 8mm



Color Box
Size:66x36x33cm/4pcs

G.W:28kgs

ET06

| Electric Router



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	11000-30000rpm
Depth:	55mm
Collet Diameter:	ø6 & 8mm



Color Box
Size:48.5x28x23.5cm/3pcs

G.W:10.5kgs



**ELECTRIC
ROUTER**



ET07

| Electric Router



1800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	6000-22000rpm
Depth:	50mm
Collet Diameter:	ø8 & 12mm



Color Box
Size:38x32x33cm/2pcs

G.W:11.5kgs

ET08

| Electric Router



2000W


SPECIFICATIONS:


Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	12000-30000rpm
Depth:	50mm
Collet Diameter:	ø8 & 12mm



Color Box
Size:66x36x33cm/4pcs

G.W:28kgs




JS01
Jig Saw

550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	500-2800rpm
Cutting Depth(wood):	100mm



 Color Box
 Size:43x28.5x24cm/5pcs

G.W:15kgs

JS02
Jig Saw

650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:61x40x19cm/10pcs

G.W:21kgs

JS03
JigSaw

500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:47x37x23cm/10pcs

G.W:16kgs

JS04
Jig Saw

500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:52.5x43.5x24.5cm/10pcs

G.W:17.5kgs

JS05
Jig Saw

500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:48.5x40x22cm/10pcs

G.W:17kgs

JS06
Jig Saw

550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:52.5x39x22.5cm/10pcs

G.W:22kgs

JS07
Jig Saw

600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:52.5x39x22.5cm/5pcs

G.W:14kgs

JS08
Jig Saw

600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-2800rpm
Cutting Depth(wood):	65mm



 Color Box
 Size:42x26x44cm/10pcs

G.W:16.5kgs

JS09
Jig Saw


650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



Color Box G.W:23kgs
 Size:52x42x23.5cm/10pcs

JS10
Jig Saw


650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



Color Box G.W:24kgs
 Size:52x55x24cm/10pcs

JS11
Jig Saw


710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	65mm



Color Box G.W:21kgs
 Size:52.5x47.5x25cm/10pcs

JS12
JigSaw


800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	80 & 100mm



Color Box G.W:21.5kgs
 Size:58x38x24.5cm/8pcs

JS13
JigSaw


850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	80 & 100mm



Color Box G.W:24kgs
 Size:52x42x23.5cm/10pcs

JS14
JigSaw


850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	80 & 100mm



Color Box G.W:14.5kgs
 Size:47.5x31.5x27cm/5pcs

JS15
Jig Saw


850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-3000rpm
Cutting Depth(wood):	80 & 100mm



Color Box G.W:24kgs
 Size:52x42x23.5cm/10pcs




RS01
| Reciprocating Saw



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-2800rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:45.5x27x40cm/6pcs G.W:17kgs

RS02
| Reciprocating Saw



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-2500rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:51x29x21.5cm/3pcs G.W:11kgs

RS03
| Reciprocating Saw



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	0-2800rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:48x20x37.5cm/5pcs G.W:13.5kgs

RS04
| Reciprocating Saw



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	0-3000rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:48x42x19.5cm/5pcs G.W:14.5kgs

RS05
| Reciprocating Saw



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	0-3000rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:48x42x19.5cm/5pcs G.W:14.5kgs

RS06
| Reciprocating Saw



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	0-2800rpm
Stroke:	20mm
Cutting Capacity(Wood):	115mm



Color Box Size:48x20x37.5cm/4pcs G.W:12kgs

RS07
| Reciprocating Saw



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	0-2800rpm
Stroke:	22mm
Cutting Capacity(Wood):	115mm



Color Box Size:48x20x37.5cm/4pcs G.W:12kgs

RS08
| Reciprocating Saw



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-3000rpm
Stroke:	20mm
Cutting Capacity(Wood):	150mm



Color Box Size:55x38x24cm/4pcs G.W:16kgs



RS09

Reciprocating Saw



850W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	0-2800rpm
Stroke:	28mm
Cutting Capacity(Wood):	150mm



Color Box Size:55x38x24cm/4pcs G.W:16kgs

RS10

Reciprocating Saw



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	0-2800rpm
Stroke:	22mm
Cutting Capacity(Wood):	150mm



Color Box Size:49x39x18cm/4pcs G.W:12.5kgs

RS11

Reciprocating Saw




1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-2500rpm
Stroke:	28mm
Cutting Capacity(Wood):	150mm



Color Box Size:55x38x24cm/4pcs G.W:16kgs



CS01

Circular Saw



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	5000rpm
Blade Size:	160mm
Cutting Depth:	45°@38mm;90°@55mm



Color Box Size:51x32x38cm/4pcs G.W:16.5kgs

CS02

Circular Saw



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	4800rpm
Blade Size:	165mm
Cutting Depth:	45°@35mm;90°@54mm



Color Box Size:49x31x50cm/4pcs G.W:19.5kgs



CS03

| Circular Saw



1300W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1300W
No-load Speed:	5000rpm
Blade Size:	165mm
Cutting Depth:	45°@38mm;90°@55mm



Color Box Size:50x34x37.5cm/4pcs G.W.:18.7kgs

CS04

| Circular Saw



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	4800rpm
Blade Size:	185mm
Cutting Depth:	45°@45mm;90°@64mm



Color Box Size:50x34x51cm/4pcs G.W.:20kgs

CS05

| Circular Saw



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	5200rpm
Blade Size:	185mm
Cutting Depth:	45°@44mm;90°@65mm



Color Box Size:51x32x38cm/4pcs G.W.:17kgs

CS06

| Circular Saw



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	5200rpm
Blade Size:	185mm
Cutting Depth:	45°@44mm;90°@65mm



Color Box Size:51x32x38cm/4pcs G.W.:18kgs

CS07

| Circular Saw



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	5800rpm
Blade Size:	185mm
Cutting Depth:	45°@42mm;90°@62mm



Color Box Size:51x32x40cm/4pcs G.W.:17.5kgs

CS08

| Circular Saw



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	4500rpm
Blade Size:	185mm
Cutting Depth:	45°@42mm;90°@62mm



Color Box Size:52x47x19cm/4pcs G.W.:13.5kgs

CS09

| Circular Saw



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	4500rpm
Blade Size:	185mm
Cutting Depth:	45°@42mm;90°@62mm



Color Box Size:52x47x19cm/4pcs G.W.:13.5kgs

CS10

| Circular Saw



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	4800rpm
Blade Size:	185mm
Cutting Depth:	45°@45mm;90°@64mm



Color Box Size:52x33.5x52cm/4pcs G.W.:20kgs

CS11

| Circular Saw



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	5000rpm
Blade Size:	185mm
Cutting Depth:	45°@42mm;90°@62mm



Color Box Size:52x33.5x52cm/4pcs G.W.:20kgs



CS12

| Circular Saw



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	5000rpm
Blade Size:	185mm
Cutting Depth:	45°@44mm;90°@65mm



Color Box Size:52x34x39.5cm/4pcs G.W:18.7kgs

CS13

| Circular Saw



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Blade Size:	210mm
Cutting Depth:	45°@50mm;90°@75mm



Color Box Size:54x36x52cm/4pcs G.W:22kgs

CS14

| Circular Saw



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4500rpm
Blade Size:	235mm
Cutting Depth:	45°@62mm;90°@85mm



Color Box Size:52x38x44cm/4pcs G.W:22.5kgs



CS15

| Mini Circular Saw



480W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	480W
No-load Speed:	3500rpm
Blade Size:	85mm
Cutting Capacity:	0-27mm



Color Box Size:42x34x29.5cm/6pcs G.W:17kgs

CS16

| Mini Circular Saw



500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	6000rpm
Blade Size:	85mm
Cutting Capacity:	0-25mm



BMC Size:54x34x35cm/4pcs G.W:13.5kgs



CS17

Mini Circular Saw



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	5500rpm
Blade Size:	89mm
Cutting Capacity:	0-26mm



BMC Size:45.5x27x28cm/2pcs G.W:10.3kgs

CS18

Mini Circular Saw



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	4500rpm
Blade Size:	85mm
Cutting Capacity:	0-26mm



BMC Size:51x35x35cm/6pcs G.W:15.5kgs

CS19

Mini Circular Saw



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	5500rpm
Blade Size:	89mm
Cutting Capacity:	0-28.5mm



Color Box Size:42x34x29.5cm/6pcs G.W:17kgs

CS20

Mini Circular Saw



705W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	705W
No-load Speed:	4500rpm
Blade Size:	89mm
Cutting Capacity:	0-28.5mm



Color Box Size:46x33.5x27cm/6pcs G.W:16kgs

MT01

Multi Tool



180W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	180W
No-load Speed:	21000rpm
Oscillation Angle:	3°



Color Box Size:32.5x32x18.5cm/6pcs G.W:8.8kgs



MT02

Multi Tool



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	15000-22000rpm
Oscillation Angle:	3.5°



Color Box Size:57x31x24cm/10pcs G.W:16kgs

MT03

Multi Tool



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	11000-23000rpm
Oscillation Angle:	3.5°



Color Box Size:55x35x20cm/10pcs G.W:17.5kgs

MT04

Multi Tool



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	11000-23000rpm
Oscillation Angle:	3.5°



Color Box Size:55x35x20cm/10pcs G.W:17.5kgs



MT05

| Multi Tool



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	15000-22000rpm
Oscillation Angle:	3.5°



Color Box G.W:9.5kgs
Size:36.5x34.5x21cm/6pcs

MT06

| Multi Tool



300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	300W
No-load Speed:	15000-22000rpm
Oscillation Angle:	3.5°



Color Box G.W:9.5kgs
Size:36.5x34.5x21cm/6pcs

MT07

| Multi Tool



350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	15000-22000rpm
Oscillation Angle:	3.1°



Color Box G.W:16kgs
Size:47x32x21cm/10pcs

MT08

| Multi Tool



400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	400W
No-load Speed:	15000-22000rpm
Oscillation Angle:	4°



Color Box G.W:10kgs
Size:36.5x34.5x21cm/6pcs

MT09

| Multi Tool



400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	400W
No-load Speed:	15000-22000rpm
Oscillation Angle:	4.5°



Color Box G.W:10kgs
Size:36.5x34.5x21cm/6pcs



MC01

| Marble Cutter



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	12500rpm
Blade Size:	110mm



Color Box G.W:15kgs
Size:45.5x45.5x18.5cm/4pcs

MC02

| Marble Cutter



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	12500rpm
Blade Size:	110mm



Color Box G.W:15kgs
Size:45.5x45.5x18.5cm/4pcs

MC03

| Marble Cutter



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	12800rpm
Blade Size:	110mm



Color Box G.W:20kgs
Size:66.5x24x38cm/6pcs



MC04

| Marble Cutter



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	11000rpm
Blade Size:	110mm



Color Box G.W.:21kgs
Size:66.5x24x38cm/6pcs

MC05

| Marble Cutter



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	10500rpm
Blade Size:	110mm



Color Box G.W.:16kgs
Size:66.5x25.5x38.5cm/4pcs

MC06

| Marble Cutter



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	13000rpm
Blade Size:	110mm



Color Box G.W.:15.5kgs
Size:45.5x45.5x18.5cm/4pcs

MC07

| Marble Cutter



1350W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1350W
No-load Speed:	13000rpm
Blade Size:	110mm



Color Box G.W.:16kgs
Size:27.5x17.5x24cm/4pcs

MC08

| Marble Cutter



1450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1450W
No-load Speed:	13000rpm
Blade Size:	125mm



Color Box G.W.:16kgs
Size:45.5x45.5x18.5cm/4pcs

MC09

| Marble Cutter



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	12000rpm
Blade Size:	125mm



Color Box G.W.:17kgs
Size:27.5x17.5x24cm/4pcs

MC10

| Multi Tool



1700W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	12000rpm
Blade Size:	125mm



Color Box G.W.:17kgs
Size:48.5x24x40cm/4pcs






BISCUIT JOINER



BJ01
Biscuit Joiner



 **750W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	12000rpm
Blade Size:	100mm
Cutting Depth:	20mm
Cutting Angle:	-45° — 90°



 Color Box
Size:42x30x23cm/2pcs

G.W:10kgs

BJ02
Biscuit Joiner



 **760W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	760W
No-load Speed:	11600rpm
Blade Size:	100mm
Cutting Depth:	18mm
Cutting Angle:	-45° — 90°



 Color Box
Size:61x43x38cm/6pcs

G.W:24.5kgs



WALL CHASER



WC01
Wall Chaser



 **1320W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1320W
No-load Speed:	9000rpm
Blade Size:	125mm
Cutting Depth:	30mm
Cutting Width:	26mm



 Color Box
Size:41.5x39x38cm/4pcs

G.W:24kgs

WC02
Wall Chaser



 **1400W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	7500rpm
Blade Size:	125mm
Cutting Depth:	30mm
Cutting Width:	30mm



 Color Box
Size:59.5x35.5x26cm/2pcs

G.W:13kgs

WC03
Wall Chaser



 **1700W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	4000rpm
Blade Size:	125mm
Cutting Depth:	28mm
Cutting Width:	29mm



 Color Box
Size:62x34x25.5cm/2pcs

G.W:12.2kgs

WC04
Wall Chaser



 **1700W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	4000rpm
Blade Size:	150mm
Cutting Depth:	40mm
Cutting Width:	29mm



 Color Box
Size:62x34x25.5cm/2pcs

G.W:12.5kgs

WC05
Wall Chaser



 **1700W**

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	4000rpm
Blade Size:	150mm
Cutting Depth:	40mm
Cutting Width:	29mm



 Color Box
Size:62x34x25.5cm/2pcs

G.W:12.5kgs



WC06

| Wall Chaser



2100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2100W
No-load Speed:	6500rpm
Blade Size:	156mm
Cutting Depth:	50mm



Color Box
Size:54x46.5x25.5cm/2pcs G.W:16kgs

WC07

| Wall Chaser



2100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2100W
No-load Speed:	6000rpm
Blade Size:	156mm
Cutting Depth:	36mm



Color Box
Size:54x46.5x25.5cm/2pcs G.W:16kgs

WC08

| Wall Chaser



2200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2200W
No-load Speed:	5500rpm
Blade Size:	125mm
Cutting Depth:	50mm
Cutting Width:	39.5mm



BMC
Size:54x42x31cm/2pcs G.W:21.5kgs

WC09

| Wall Chaser



2500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2500W
No-load Speed:	6000rpm
Blade Size:	156mm
Cutting Depth:	36mm
Cutting Width:	42mm



Color Box
Size:54x46.5x25.5cm/2pcs G.W:16kgs

WC10

| Wall Chaser



2800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2800W
No-load Speed:	6000rpm
Blade Size:	160mm
Cutting Depth:	52mm
Cutting Width:	38mm



BMC
Size:62.5x42x30cm/2pcs G.W:12.2kgs

WC11

| Wall Chaser



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	6000rpm
Blade Size:	121mm
Cutting Depth:	39mm
Cutting Width:	28mm



BMC
Size:52x41x29cm/2pcs G.W:21kgs

WC12

| Wall Chaser



4100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	4100W
No-load Speed:	7800rpm
Blade Size:	133mm
Cutting Depth:	41mm
Cutting Width:	41mm



BMC
Size:51x22x33.5cm/1pc G.W:11kgs

WC13

| Wall Chaser



6000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	6000W
No-load Speed:	1600-2700rpm
Blade Size:	410mm
Cutting Width:	283mm



Color Box
Size:81x59x30cm/1pc G.W:14.1kgs





EM01
Electric Mixer



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	0-800rpm
Mixing Paddle Diameter:	120mm
Mixing Paddle Length:	590mm
hread Size:	M14



Color Box
Size:65x34x35cm/5pcs

G.W:19kgs

EM02
Electric Mixer



1200W/1400W

SPECIFICATIONS:

	EM02-A	EM02-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1400W
No-load Speed:	0-900rpm	0-900rpm
Mixing Paddle Diameter:	120mm	120mm
Mixing Paddle Length:	590mm	590mm
hread Size:	M14	M14



Color Box
Size:60x33.5x50cm/4pcs

G.W:21kgs

EM03
Electric Mixer



1250W/1400W/1600W

SPECIFICATIONS:

	EM03-A	EM03-B	EM03-C
Voltage/Frequency:	230V/50Hz		
Input Power:	1250W	1400W	1600W
No-load Speed:	400-800rpm		
Mixing Paddle Diameter:	120mm		
Mixing Paddle Length:	590mm		
hread Size:	M14		



Color Box
Size:42.5x34x42cm/2pcs

G.W:12.4kgs



EM04
Electric Mixer



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	0-500/0-800rpm
Mixing Paddle Diameter:	120mm
Mixing Paddle Length:	590mm
hread Size:	M14



Color Box
Size:56x33.5x50cm/4pcs

G.W:21kgs

EM05
Electric Mixer



1400W/1600W

SPECIFICATIONS:

	EM05-A	EM05-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1400W	1600W
No-load Speed:	0-450/0-760rpm	
Mixing Paddle Diameter:	140mm	140mm
Mixing Paddle Length:	590mm	590mm
hread Size:	M14	M14



Color Box
Size:61x37.5x25cm/2pcs

G.W:13kgs

EM06
Electric Mixer



1250W/1400W/1600W

SPECIFICATIONS:

	EM06-A	EM06-B	EM06-C
Voltage/Frequency:	230V/50Hz		
Input Power:	1250W	1400W	1600W
No-load Speed:	250-500/400-800rpm		
Mixing Paddle Diameter:	120mm		
Mixing Paddle Length:	590mm		
hread Size:	M14		



Color Box
Size:38x36x40cm/2pcs

G.W:12.6kgs



EM07
Electric Mixer



1600W

SPECIFICATIONS:


Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	0-500/0-780rpm
Mixing Paddle Diameter:	140mm
Mixing Paddle Length:	590mm
hread Size:	M14



Color Box
Size:61x37.5x25cm/2pcs

G.W:13kgs





DS01
Drywall Sander



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	1200-2500rpm
Grind Disc Dia.:	180mm
Sandpaper Dia.:	190mm
Uction Pipe Dia.:	32mm

Color Box Size:57x28x57.5cm/4pcs G.W.:17kgs

DS02
Drywall Sander



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	1200-2500rpm
Grind Disc Dia.:	180mm
Sandpaper Dia.:	190mm
Uction Pipe Dia.:	32mm

Color Box Size:57x28x57.5cm/4pcs G.W.:17kgs

DS03
Drywall Sander



900W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	1400-2700rpm
Grind Disc Dia.:	175mm
Sandpaper Dia.:	180mm
Uction Pipe Dia.:	32mm

Color Box Size:62x31.5x56cm/4pcs G.W.:17kgs

DS04
Drywall Sander



1280W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1280W
No-load Speed:	1200-2500rpm
Grind Disc Dia.:	180mm
Sandpaper Dia.:	185mm
Uction Pipe Dia.:	32mm

Color Box Size:62x31.5x58cm/4pcs G.W.:19.5kgs

DS05
Drywall Sander



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	1200-2300rpm
Grind Disc Dia.:	215mm
Sandpaper Dia.:	220mm
Uction Pipe Dia.:	32mm

Color Box Size:55x35.5x55cm/4pcs G.W.:15.2kgs

DS06
Drywall Sander



710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	1200-2300rpm
Grind Disc Dia.:	176mm
Sandpaper Dia.:	180mm
Uction Pipe Dia.:	32mm

Color Box Size:55x35.5x55cm/4pcs G.W.:15.2kgs



DS07

Drywall Sander



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	900-1800rpm
Grind Disc Dia.:	214mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:73.5x29x49cm/2pcs G.W:14kgs

DS08

Drywall Sander



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	900-1750rpm
Grind Disc Dia.:	210mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:73.5x29x49cm/2pcs G.W:14kgs

DS09

Drywall Sander



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	800-1750rpm
Grind Disc Dia.:	210mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:73.5x29x49cm/2pcs G.W:14kgs

DS10

Drywall Sander



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	800-1800rpm
Grind Disc Dia.:	215mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:82x25x35.5cm/1pc G.W:10.2kgs

DS11

Drywall Sander



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	800-1800rpm
Grind Disc Dia.:	215mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:82x25x35.5cm/1pc G.W:9.6kgs

DS12

Drywall Sander



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	1000-2100rpm
Grind Disc Dia.:	215mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:76x28.5x26cm/1pcs G.W:6.4kgs

DS13

Drywall Sander



880W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	880W
No-load Speed:	1000-2100rpm
Grind Disc Dia.:	215mm
Sandpaper Dia.:	225mm
Uction Pipe Dia.:	32mm



Color Box Size:74.5x30x26cm/1pcs G.W:7kgs



SPRAY GUN



SG01

Spray Gun



350W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	350W
Flow:	800ml/min
Paint Reservoir:	800ml
Viscosity:	100din/sec
Nozzle:	2.0mm



Color Box Size:53.5x27.5x42cm/6pcs G.W:13.5kgs



SG02

| Spray Gun



400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	400W
Flow:	800ml/min
Paint Reservoir:	800ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:14kgs
Size:65.5x57.5x29cm/10pcs

SG03

| Spray Gun



400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	400W
Flow:	800ml/min
Paint Reservoir:	800ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:14kgs
Size:65.5x57.5x29cm/10pcs

SG04

| Spray Gun



400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	400W
Flow:	800ml/min
Paint Reservoir:	800ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:14.5kgs
Size:65.5x57.5x29cm/10pcs

SG05

| Spray Gun



450W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	450W
Flow:	1000ml/min
Paint Reservoir:	1200ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:11kgs
Size:48x28.5x42cm/6pcs

SG06

| Spray Gun



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
Flow:	1000ml/min
Paint Reservoir:	800ml
Viscosity:	100din/sec
Nozzle:	1.8mm



Color Box G.W.:11kgs
Size:50x35.5x64cm/6pcs

SG07

| Spray Gun



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
Flow:	950ml/min
Paint Reservoir:	1000ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:16kgs
Size:55.5x34x49cm/8pcs

SG08

| Spray Gun



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
Flow:	950ml/min
Paint Reservoir:	1000ml
Viscosity:	80din/sec
Nozzle:	2.5mm



Color Box G.W.:16kgs
Size:55.5x57.5x29cm/10pcs

SG09

| Spray Gun



600W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	600W
Flow:	1000ml/min
Paint Reservoir:	1200ml
Viscosity:	100din/sec
Nozzle:	2.5mm



Color Box G.W.:11kgs
Size:48x28.5x42cm/6pcs

SG10

| Spray Gun



650W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	650W
Flow:	1100ml/min
Paint Reservoir:	1200ml
Viscosity:	100din/sec
Nozzle:	2.5mm



Color Box G.W.:16kgs
Size:55.5x34x49cm/8pcs



SG11

| Spray Gun



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Flow:	1000ml/min
Paint Reservoir:	1500ml
Viscosity:	120din/sec
Nozzle:	1.8mm



Color Box G.W.:15kgs
Size:53.5x36.5x53.5cm/4pcs



GG01

| Glue Gun



20W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	20W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W.:14.5kgs
Size:56x46x41.5cm/96pcs

GG02

| Glue Gun



20W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	20W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W.:14.5kgs
Size:56x46x41.5cm/96pcs

GG03

| Glue Gun



20W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	20W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W.:14.5kgs
Size:56x46x41.5cm/96pcs

GG04

| Glue Gun



20W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	20W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W.:14.5kgs
Size:56x46x41.5cm/96pcs

GG05

| Glue Gun



20W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	20W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W.:14.5kgs
Size:56x46x41.5cm/96pcs



GG06

Glue Gun



30W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	30W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W:14.5kgs
Size:56x46x41.5cm/96pcs

GG07

Glue Gun



30W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	30W
Diameter of Glue Stick:	7mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W:14.5kgs
Size:56x46x41.5cm/96pcs

GG08

Glue Gun



40W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	40W
Diameter of Glue Stick:	11mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W:14.5kgs
Size:51x46x40cm/72pcs

GG09

Glue Gun



60W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	60W
Diameter of Glue Stick:	11mm
Length of Glue Stick:	100mm



Double Blister+Inner Box G.W:14.5kgs
Size:51x46x40cm/72pcs

ST01-A

Soldering Iron



30W & 70W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	30W & 70W
Temperature:	300°C
Soldering Tip Type:	Cone Tip



Single Blister+Inner Box G.W:12kgs
Size:75x27x24cm/50pcs



ST01-B

Soldering Iron



30W & 70W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	30W & 70W
Temperature:	300°C
Soldering Tip Type:	Cone Tip



Single Blister+Inner Box G.W:12kgs
Size:75x27x24cm/50pcs

ST02

Soldering Iron



30W/40W/60W

SPECIFICATIONS:

	ST02-A	ST02-B	ST02-C
Voltage/Frequency:	230V/50Hz		
Input Power:	30W	40W	60W
Temperature:	400°C		
Soldering Tip Type:	Cone Tip		



Single Blister+Inner Box G.W:14kgs
Size:45x34x42cm/50pcs

ST03

Soldering Iron



30W/40W/60W

SPECIFICATIONS:

	ST03-A	ST03-B	ST03-C
Voltage/Frequency:	230V/50Hz		
Input Power:	30W	40W	60W
Temperature:	400°C		
Soldering Tip Type:	Cone Tip		



Single Blister+Inner Box G.W:14kgs
Size:45x34x42cm/50pcs



ST04

| Soldering Iron



30W/40W/60W/80W/100W

SPECIFICATIONS:	ST03-A	ST03-B	ST03-C	ST03-D	ST03-E
Voltage/Frequency:	230V/50Hz				
Input Power:	30W	40W	60W	80W	100W
Temperature:	400°C				
Soldering Tip Type:	Cone Tip				
Single Blister + Inner Box	G.W:14kgs				
Size:45x34x42cm/50pcs					

ST05

| Soldering Iron



80W/100W/150W

SPECIFICATIONS:	ST05-A	ST05-B	ST05-C
Voltage/Frequency:	230V/50Hz		
Input Power:	80W	100W	150W
Temperature:	400°C		
Soldering Tip Type:	Flat Tip		
Single Blister + Inner Box	G.W:14kgs		
Size:45x34x42cm/50pcs			

ST06

| Soldering Iron



150W/200W/300W

SPECIFICATIONS:	ST06-A	ST06-B	ST06-C
Voltage/Frequency:	230V/50Hz		
Input Power:	150W	200W	300W
Temperature:	400°C		
Soldering Tip Type:	Flat Tip		
Single Blister + Inner Box	G.W:14kgs		
Size:45x34x42cm/50pcs			

ST07

| Soldering Iron



75W/100W/150W/200W/300W

SPECIFICATIONS:	ST07-A	ST07-B	ST07-C	ST07-D	ST07-E
Voltage/Frequency:	230V/50Hz				
Input Power:	75W	100W	150W	200W	300W
Temperature:	400°C				
Soldering Tip Type:	Flat Tip				
Single Blister + Inner Box	G.W:14kgs				
Size:45x34x42cm/50pcs					



SOLDERING GUN

ST08

| Soldering Gun



50W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	50W
Actual Current:	0-65A
Voltage Range:	0-3V
Temperature:	300°C
BMC	G.W:14kgs
Size:33x28x56.5cm/12pcs	

ST09

| Soldering Gun



60W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	60W
Actual Current:	0-65A
Voltage Range:	0-3V
Temperature:	300°C
BMC	G.W:8.3kgs
Size:35x29x33.5cm/1pc	

ST10

| Soldering Gun



100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	100W
Actual Current:	0-65A
Voltage Range:	0-3V
Temperature:	300°C
BMC	G.W:14kgs
Size:41x37x58cm/10pcs	

ST11

| Soldering Gun



100W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	100W
Temperature:	300°C
BMC	G.W:19.5kgs
Size:64x28x43.5cm/10pcs	



ST 12

| Soldering Gun




100W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	100W
Temperature:	300°C



BMC G.W.:15kgs
Size:36x32x57cm/10pcs



HK01

| Hot Knife



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
Temperature:	550°C
Blade Length:	15/20mm



BMC G.W.:15kgs
Size:43x33x39.5cm/10pcs

HK02

| Hot Knife



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
Temperature:	550°C
Blade Length:	15/20mm



BMC G.W.:15kgs
Size:43x33x39.5cm/10pcs



PW01

| Pipe Welding Machine



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Working Temperature:	0-300°C



Metal Box G.W.:16kgs
Size:45x40x28cm/4pcs

PW02

| Pipe Welding Machine



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Working Temperature:	0-300°C



Metal Box G.W.:22kgs
Size:40x40x45cm/10pcs



PW03

Pipe Welding Machine



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Working Temperature:	0-300°C



Metal Box G.W:22kgs
Size:40x40x45cm/10pcs

PW04

Pipe Welding Machine



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Working Temperature:	0-300°C



Metal Box G.W:22kgs
Size:40x40x45cm/10pcs

PW05

Pipe Welding Machine



1000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1000W
Working Temperature:	0-300°C



Metal Box G.W:22kgs
Size:40x40x45cm/10pcs

PW06

Pipe Welding Machine



750/1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750/1500W
Working Temperature:	0-300°C



Metal Box G.W:19.5kgs
Size:46.5x30x52.5cm/5pcs

HOT AIR GUN



HA01

Hot Air Gun



350W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	350W
Temperature:	I:200°C II:350°C
Air Flow:	I:150L/min II:200L/min



Color Box G.W:8kgs
Size:35x29x33.5cm/20pcs

HA02

Hot Air Gun



350W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	350W
Temperature:	I:200°C II:350°C
Air Flow:	I:150L/min II:200L/min



Color Box G.W:8.4kgs
Size:35x29x33.5cm/20pcs

HA03

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:350°C II:600°C
Air Flow:	I:300L/min II:500L/min



Color Box G.W:7.5kgs
Size:40x25x48cm/10pcs

HA04

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:350°C II:600°C
Air Flow:	I:300L/min II:500L/min



Color Box G.W:7.5kgs
Size:40x25x48cm/10pcs



HOT AIR GUN



HA05-A

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	II:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:40x25x48cm/10pcs

G.W.:7.5kgs

HA05-B

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	II:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:40x25x48cm/10pcs

G.W.:7.5kgs

HA06-A

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	II:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:40x25x46cm/10pcs

G.W.:9kgs

HA06-B

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	II:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:40x25x46cm/10pcs

G.W.:9kgs

HA07

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	II:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:40x25x46cm/10pcs

G.W.:9kgs



HA08

Hot Air Gun



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W



Color Box
Size:45x28.5x50cm/10pcs

G.W.:9kgs



HA08-A

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:45x28.5x50cm/10pcs

G.W.:9kgs



HA08-B

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60-350°C;II:60-600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:45x28.5x50cm/10pcs

G.W.:9kgs



HA08-C

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60-350°C;II:60-600°C
Air Flow:	I:300L/min;II:500L/min



Color Box
Size:45x28.5x50cm/10pcs

G.W.:9kgs



HA09

Hot Air Gun



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
CE	
Color Box Size: 45x28.5x50cm/10pcs	G.W: 9kgs



HA09-A

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-350°C;III:60-600°C
Air Flow:	I:500L/min II:300L/min III:500L/min
Color Box Size: 45x28.5x50cm/10pcs	G.W: 9kgs



HA09-B

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-350°C;III:60-600°C
Air Flow:	I:500L/min II:300L/min III:500L/min
Color Box Size: 45x28.5x50cm/10pcs	G.W: 9kgs

HA10

Hot Air Gun



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
CE	
Color Box Size: 45x28.5x50cm/10pcs	G.W: 9kgs



HA10-A

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:350°C;II:600°C
Air Flow:	I:300L/min;II:500L/min
Color Box Size: 45x28.5x50cm/10pcs	G.W: 9kgs



HA10-B

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:350°C;III:600°C
Air Flow:	I:500L/min II:300L/min III:500L/min
Color Box Size: 45x28.5x50cm/10pcs	G.W: 11.5kgs

HA10



HA10-C

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60-350°C;II:60-600°C
Air Flow:	I:300L/min;II:500L/min
Color Box Size: 45x28.5x51cm/10pcs	G.W: 11.5kgs



HA10-D

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-350°C;III:60-600°C
Air Flow:	I:500L/min II:300L/min III:500L/min
Color Box Size: 45x28.5x51cm/10pcs	G.W: 11.5kgs



HA10-E

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-600°C
Air Flow:	I:300L/min;II:500L/min
Color Box Size: 40x25x46cm/10pcs	G.W: 9kgs

HA11

Hot Air Gun



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-350°C;III:60-600°C
Air Flow:	I:500L/min II:300L/min III:500L/min
CE	
Color Box Size: 44.5x47x41cm/10pcs	G.W: 16kgs




THERMAL WEEDING



TWO1

Thermal Weeding



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C;II:60-350°C
Air Output:	I:300L/min;II:500L/min



Color Box Size:50.5x17.8x48cm/10pcs G.W:11kgs

TWO2

Thermal Weeding



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
Temperature:	I:60°C II:60-350°C III:60-600°C
Air Output:	I:500L/min II:300L/min III:500L/min



Color Box Size:45x47x41.5cm/10pcs G.W:12kgs



ELECTRIC BLOWER



EB01

Electric Blower



500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-13000rpm
Air Circulation Rate:	3.2m³/min



Color Box Size:53.5x45.5x37.5cm/12pcs G.W:13kgs

EB02

Electric Blower



650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-13000rpm
Air Circulation Rate:	3.5m³/min



Color Box Size:62x58x38.5cm/12pcs G.W:22kgs

EB03

Electric Blower



680W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	680W
No-load Speed:	0-13000rpm
Air Circulation Rate:	3.8m³/min



Color Box Size:66x39.5x44.5cm/8pcs G.W:18.5kgs

EB04

Electric Blower



650W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	650W
No-load Speed:	0-13000rpm
Air Circulation Rate:	3.8m³/min



Color Box Size:54x52x38.5cm/12pcs G.W:22.5kgs

EB05

Electric Blower



720W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	720W
No-load Speed:	0-13000rpm
Air Circulation Rate:	4.3m³/min



Color Box Size:78x39x44cm/6pcs G.W:18kgs



BF01
Blower Fan

80W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	80W
No-load Speed:	2800rpm
Wind Pressure:	155pa
Air Circulation Rate:	1.06m³/min
Noise:	≤59db



Carton Box Size:53x42x44cm/12pcs G.W:20kgs

BF02
Blower Fan

150W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	2800rpm
Wind Pressure:	200pa
Air Circulation Rate:	4.5m³/min
Noise:	≤62db



Carton Box Size:57x24.3x47cm/6pcs G.W:12.5kgs

BF03
Blower Fan

250W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	2800rpm
Wind Pressure:	230pa
Air Circulation Rate:	6.5m³/min
Noise:	≤65db



Carton Box Size:46x29.5x60cm/4pcs G.W:13.2kgs

BF04
Blower Fan

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	2800rpm
Wind Pressure:	270pa
Air Circulation Rate:	9m³/min
Noise:	≤72db



Carton Box Size:30x26.5x33.5cm/1pc G.W:4.5kgs

BF05
Blower Fan

550W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	2800rpm
Wind Pressure:	310pa
Air Circulation Rate:	11m³/min
Noise:	≤80db



Carton Box Size:36.5x36x39cm/1pc G.W:8kgs

BF06
Blower Fan

750W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	2800rpm
Wind Pressure:	350pa
Air Circulation Rate:	13m³/min
Noise:	≤89db



Carton Box Size:43.5x43.5x47cm/1pc G.W:12kgs





AS01
| Pet Scissors

45W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	45W
No-load Speed:	3000/3800rpm
Blade Size:	78mm



BMC Size:48x42x32cm/10pcs G.W:16kgs

AS02
| Horse Scissors

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	0-2600rpm
Blade Size:	80mm



BMC Size:54x46x24cm/5pcs G.W:16kgs

AS03
| Sheep Scissors

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	0-2400rpm
Blade Size:	81mm



BMC Size:57x45x21.5cm/5pcs G.W:16.5kgs

AS04
| Sheep Scissors

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	0-2400rpm
Blade Size:	81mm



BMC Size:57x45x21.5cm/5pcs G.W:16.5kgs

AS05
| Sheep Scissors

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	0-2800rpm
Blade Size:	81mm



BMC Size:57x45x21.5cm/5pcs G.W:16.5kgs

AS06
| Sheep Scissors

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	0-2400rpm
Blade Size:	78mm



BMC Size:54x46x24cm/5pcs G.W:16kgs

AS07
| Sheep Scissors

500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-2800rpm
Blade Size:	78mm



BMC Size:56.5x40x31.5cm/5pcs G.W:16kgs

AS08
| Sheep Scissors

500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	0-2800rpm
Blade Size:	78mm



BMC Size:56.5x40x31.5cm/5pcs G.W:16kgs



AS09

| Sheep Scissors



600W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	0-3000rpm
Blade Size:	78mm



BMC
Size:53x40x21cm/5pcs

G.W:15kgs



SHARPENER CHAIN



SC01

| Sharpener Chain



85W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	85W
No-load Speed:	5000rpm
Grinding Wheel:	104x22.2x3.2mm



Color Box
Size:36x28x46cm/4pcs

G.W:13kgs

SC02

| Sharpener Chain



85W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	85W
No-load Speed:	5500rpm
Grinding Wheel:	104x22.2x3.2mm



Color Box
Size:39x27x38cm/4pcs

G.W:10.3kgs

SC03

| Sharpener Chain



130W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	130W
No-load Speed:	6000rpm
Grinding Wheel:	100x10x3.5mm



Color Box
Size:59x32x42cm/6pcs

G.W:17kgs

SC04

| Sharpener Chain



130W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	130W
No-load Speed:	6000rpm
Grinding Wheel:	100x10x3.5mm



Color Box
Size:59x32x42cm/6pcs

G.W:17kgs

SC05

| Sharpener Chain



180W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	180W
No-load Speed:	6300rpm
Grinding Wheel:	104x10x3.2mm



Color Box
Size:36x32x44cm/4pcs

G.W:10.5kgs

SC06

| Sharpener Chain



220W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	220W
No-load Speed:	6000rpm
Grinding Wheel:	100x10x3.5mm



Color Box
Size:59x32x42cm/6pcs

G.W:17kgs




MS01
 | Mitre Saw


850W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	850W
No-load Speed:	5000rpm
Blade Size:	190mm
Cutting Capacity:	
0° /0°:	W45xH85mm
0°/0°:	W30xH60mm



 Color Box
 Size:46x28x28cm/1pc G.W:6.5kg

MS02
 | Mitre Saw


1700W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	5000rpm
Blade Size:	185mm
Cutting Capacity:	
0° /0°:	W203xH51mm
45° /0°:	W152xH51mm
0° /45°:	W203xH38mm
45° /45°:	W152xH38mm



 Color Box
 Size:73x45.5x33cm/1pc G.W:12kg

MS03
 | Mitre Saw


1200W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	6000rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W120xH60mm
45° /0°:	W80xH60mm
0° /45°:	W120xH32mm
45° /45°:	W80xH32mm



 Color Box
 Size:49x33x32.5cm/1pc G.W:8kg

MS04
 | Mitre Saw


1200W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	4900rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W115xH60mm
45° /0°:	W80xH60mm
0° /45°:	W115xH25mm
45° /45°:	W80xH25mm



 Color Box
 Size:53x34x30.5cm/1pc G.W:8kg

MS05
 | Mitre Saw


1500W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	4900rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W310xH62mm
45° /0°:	W310xH36mm
0° /45°:	W215xH62mm
45° /45°:	W215xH36mm



 Color Box
 Size:73.5x45.5x36.5cm/1pc G.W:12kg

MS06
 | Mitre Saw


1700W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1700W
No-load Speed:	5000rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W340xH70mm
45° /0°:	W240xH70mm
0° /45°:	W340xH40mm
45° /45°:	W240xH40mm



 Color Box
 Size:81x49x37cm/1pc G.W:13kg

MS07
 | Mitre Saw


1800W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W340xH90mm
45° /0°:	W235xH90mm
0° /45°:	W340xH40mm
45° /45°:	W235xH40mm



 Color Box
 Size:82.5x51x41.5cm/1pc G.W:13kg

MS08
 | Mitre Saw


2000W


SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4700rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W340xH65mm
45° /0°:	W240xH65mm
0° /45°:	W340xH38mm
45° /45°:	W235xH38mm



 Color Box
 Size:79x46x35.5cm/1pc G.W:13kg



MITRE SAW

MY:YT®

MS09

Mitre Saw



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4800rpm
Blade Size:	210mm
Cutting Capacity:	
0° /0°:	W340xH65mm
45° /0°:	W240xH65mm
0° /45°:	W340xH38mm
45° /45°:	W240xH38mm



Color Box
Size:75.5x46x36cm/1pc G.W.:14.5kg

MS10

Mitre Saw



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Blade Size:	255mm
Cutting Capacity:	
0° /0°:	W140xH72mm
45° /0°:	W95xH72mm
0° /45°:	W140xH40mm
45° /45°:	W95xH40mm



Color Box
Size:56x39x37cm/1pc G.W.:12kg

MS11

Mitre Saw



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	4800rpm
Blade Size:	255mm
Cutting Capacity:	
0° /0°:	W305xH75mm
45° /0°:	W210xH75mm
0° /45°:	W305xH45mm
45° /45°:	W210xH45mm



Color Box
Size:79x46x42cm/1pc G.W.:17kg

MS12

Mitre Saw



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Blade Size:	255mm
Cutting Capacity:	
0° /0°:	W300xH72mm
45° /0°:	W200xH72mm
0° /45°:	W300xH40mm
45° /45°:	W200xH40mm



Color Box
Size:73x46x37.5cm/1pc G.W.:15kg

MS13

Mitre Saw



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Blade Size:	255mm
Cutting Capacity:	
0° /0°:	W340xH90mm
45° /0°:	W235xH95mm
0° /45°:	W340xH40mm
45° /45°:	W235xH40mm



Color Box
Size:82x51x41.5cm/1pc G.W.:19.5kg

MS14

Mitre Saw



2000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4000rpm
Blade Size:	255mm
Cutting Capacity:	
0° /0°:	W340xH90mm
45° /0°:	W240xH90mm
0° /45°:	W340xH45mm
45° /45°:	W240xH45mm



Color Box
Size:81.5x48x40.5cm/1pc G.W.:17kg





MS15

Mitre Saw

1800W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	4500rpm
Blade Size:	305mm
Cutting Capacity:	Left
0°/0°:	W335xH105mm
45°/0°:	W235xH105xmm
0°/45°:	W335xH60mm
45°/45°:	W235xH60mm
Cutting Capacity:	Right
0°/45°:	W335xH33mm
45°/45°:	W235xH33mm



Color Box Size:86.5x53.5x52cm/1pc G.W.:22kg

MS16

Mitre Saw

2000W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	5000rpm
Blade Size:	305mm
Cutting Capacity:	Left
0°/0°:	W340xH105mm
45°/0°:	W235xH105mm
0°/45°:	W340xH60mm
45°/45°:	W235xH60mm
Cutting Capacity:	Right
0°/45°:	W340xH40mm
45°/45°:	W235xH40mm



Color Box Size:90x59x37.5cm/1pc G.W.:26kg

MS17

Mitre Saw

2100W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2100W
No-load Speed:	4000rpm
Blade Size:	305mm
Cutting Capacity:	Left
0°/0°:	W330xH100mm
45°/0°:	W220xH100mm
0°/45°:	W330xH55mm
45°/45°:	W220xH55mm
Cutting Capacity:	Right
0°/45°:	W330xH30mm
45°/45°:	W220xH30mm



Color Box Size:80.5x58x47.5cm/1pc G.W.:20kg



TS01

Table Saw

800W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	2950rpm
Saw Blade Size:	200mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	45°@17mm; 90°@43mm
Main Table Size:	505x373mm



Color Box Size:51x34x28cm/1pc G.W.:12kgs

TS02

Table Saw

1600W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	4500rpm
Saw Blade Size:	254mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	45°@65mm; 90°@85mm
Main Table Size:	645x500mm
Left and Right Extension Mesa Size:	645x240mm



Color Box Size:72x57x38cm/1pc G.W.:20kgs

TS03

Table Saw

2000W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4800rpm
Saw Blade Size:	250mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	45°@53mm; 90°@85mm
Main Table Size:	630x546mm
Left and Right Extension Mesa Size:	630x190mm



Color Box Size:69x57x31cm/1pc G.W.:23kgs

TS04

Table Saw

1800W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	5000rpm
Saw Blade Size:	250mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	45°@65mm; 90°@85mm
Main Table Size:	583x563mm
Left and Right Extension Mesa Size:	583x165mm



Color Box Size:71x62x33cm/1pc G.W.:22.5kgs

TS05

Table Saw

2000W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4800rpm
Saw Blade Size:	250mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	45°@50mm; 90°@72mm
Main Table Size:	630x546mm
Left and Right Extension Mesa Size:	630x190mm



Color Box Size:69x57x31cm/1pc G.W.:23kgs



TS06

| Table Saw



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	4500rpm
Saw Blade Size:	210mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	
0°/0°:W110xH55mm	W110xH55mm
45°/0°:W110xH33mm	W110xH33mm
0°/45°:W65xH55mm	W65xH55mm
45°/45°:W80xH25mm	W80xH25mm



Color Box
Size:42x40x30cm/1pc

G.W.:14.5kgs

TS07

| Table Saw



1500W


SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	5500rpm
Saw Blade Size:	210mm
Adjustable Angle Range of Saw Blade:	0—45°
Cutting Capacity:	
45°/50mm; 90°@72mm	
Main Table Size:	630x546mm
Left and Right Extension Mesa.Size:	630x190mm



Color Box
Size:54x53x40cm/1pc

G.W.:14.5kgs



C001

| Cut-Off Machine



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	5000rpm
Blade Size:	205mm



Color Box
Size:38.5x35.5x24cm/1pc

G.W.:7kgs

C002

| Cut-Off Machine



1800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	3900rpm
Blade Size:	355mm



Color Box
Size:53x30x38cm/1pc

G.W.:11.5kgs

C003

| Cut-Off Machine



1800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	3900rpm
Blade Size:	355mm



Color Box
Size:53x30x40cm/1pc

G.W.:12kgs

C004

| Cut-Off Machine



2500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2500W
No-load Speed:	3900rpm
Blade Size:	355mm



Color Box
Size:53x30x40cm/1pc

G.W.:13.5kgs

C005

| Cut-Off Machine



2500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2500W
No-load Speed:	3900rpm
Blade Size:	355mm



Color Box
Size:53x30x40cm/1pc

G.W.:14kgs

C006

| Cut-Off Machine



2800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2800W
No-load Speed:	3900rpm
Blade Size:	355mm



Color Box
Size:63x34x44cm/1pc

G.W.:17kgs



C007

Cut-Off Machine



2400W

SPECIFICATIONS:

Voltage/Frequency:	380V/50Hz
Input Power:	2400W
Horse Power:	3HP
No-load Speed:	2880rpm
Blade Size:	400mm



Color Box Size:70x41x51cm/1pc

G.W:40kgs

C008

Cut-Off Machine



3000W

SPECIFICATIONS:

Voltage/Frequency:	380V/50Hz
Input Power:	3000W
Horse Power:	4HP
No-load Speed:	2880rpm
Blade Size:	400mm



Color Box Size:70x41x51cm/1pc

G.W:40kgs



BG01

Bench Grinder



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	3540rpm
Wheel Size:	125x16x12.7mm



Color Box Size:29.5x17.5x21cm/1pc

G.W:5.2kg

BG02

Bench Grinder



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	3540rpm
Wheel Size:	150x20x12.7mm



Color Box Size:35x19.5x24.5cm/1pc

G.W:7.3kg

BG03

Bench Grinder



150W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	3540rpm
Wheel Size:	200x20x12.7mm



Color Box Size:36.5x26x28cm/1pc

G.W:10.3kg

BG04

Bench Grinder



185W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	185W
No-load Speed:	3540rpm
Wheel Size:	125x16x12.7mm



Color Box Size:30x19x21.5cm/1pc

G.W:5.2kg

BG05

Bench Grinder



250W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	3540rpm
Wheel Size:	150x20x12.7mm



Color Box Size:36x21x25cm/1pc

G.W:7kg

BG06

Bench Grinder



560W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	560W
No-load Speed:	3540rpm
Wheel Size:	200x20x16mm



Color Box Size:38.5x26.5x28cm/1pc

G.W:10kg



BG07

| Bench Grinder



250W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	2950rpm
Wheel Size:	200x40x20mm
Right Wheel Size:	150x16x12.7mm



Color Box Size:42.5x25.5x26.5cm/1pc G.W.:10kg

BG08

| Bench Grinder




250W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	2950rpm
Wheel Size:	150x16x12.7mm
Sanding Belt Size:	686x50mm



Color Box Size:41x33.5x23cm/1pc G.W.:7.5kg



BLET&DISE SANDER



BG09

| Blet&Dise Sander



350W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	350W
Disc Speed:	1450rpm
Belt Speed:	292rpm
Belt Tilt:	0—90°
Table Tilt:	0—45°
Belt Size:	100x914mm
Table Size:	190x125mm
Disc Size:	150mm



Color Box Size:50x26.5x30.5cm/1pc G.W.:13.5kgs



TILE CUTTER



TC01

| Tile Cutter



600W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	2950rpm
Tilting Range:	0°—45°
Table Size:	330x360mm
Blade Size:	180x22.2x2.2mm
Cutting Depth:	45°@13mm;90°@34mm



Color Box Size::38x35.5x26.5cm/1pc G.W.:8.2kgs

TC02

| Tile Cutter



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	2950rpm
Tilting Range:	0—45°
Table Size:	890x394mm
Blade Size:	200x25.4x2.4mm
Cutting Depth:	45°@28mm;90°@32mm
Rip Cutting:	620mm
Grade of Waterproof:	IP54



Color Box Size:104x49.5x34cm/1pc G.W.:29kgs

TC03

| Tile Cutter



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	2990rpm
Tilting Range:	0—45°
Table Size:	990x394mm
Blade Size:	200x25.4x2.4mm
Cutting Depth:	45°@28mm;90°@32mm
Rip Cutting:	720mm
Grade of Waterproof:	IP54



Color Box Size:114x49.5x34cm/1pc G.W.:31kgs

TC04

| Tile Cutter



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	2990rpm
Tilting Range:	0—45°
Table Size:	1170x394mm
Blade Size:	230x25.4x2.4mm
Cutting Depth:	45°@27mm;90°@43mm
Rip Cutting:	920mm
Grade of Waterproof:	IP54



Color Box Size:140x54.5x38cm/1pc G.W.:39kgs



TC05

| Tile Cutter



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
No-load Speed:	2950rpm
Tilting Range:	0—45°
Table Size:	680x390mm
Blade Size:	200x25.4x2.4mm
Cutting Depth:	45°@28mm;90°@32mm
Rip Cutting:	620mm
Grade of Waterproof:	IP54



Carton Box
Size:107x48x50cm/1pc

G.W:42kgs

TC06

| Tile Cutter



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	2950rpm
Tilting Range:	0—45°
Table Size:	950x390mm
Blade Size:	230x25.4x2.4mm
Cutting Depth:	45°@42mm;90°@45mm
Rip Cutting:	920mm
Grade of Waterproof:	IP54



Carton Box
Size:136x52x57cm/1pc

G.W:51kgs

TC07

| Tile Cutter



1200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	2950rpm
Tilting Range:	0—45°
Table Size:	1250x468mm
Blade Size:	250x25.4x2.4mm
Cutting Depth:	45°@46mm;90°@52mm
Rip Cutting:	1200mm
Grade of Waterproof:	IP54



Carton Box
Size:168x59.5x62cm/1pc

G.W:67kgs



TP01

| Thickness Planer



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	8000rpm
Feeding Speed:	6m/min
Planing Width:	254mm
Planing Height:	0—3mm
Squeezing Planing Height:	6—130mm
Worktable Size:	227x254mm
Overall Dimension:	489x422x435mm
Number of Blades:	2



Carton Box
Size:47.5x31x42cm/1pc

G.W:23kgs

TP02

| Thickness Planer



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	8000rpm
Feeding Speed:	6m/min
Planing Width:	305mm
Planing Height:	0—3mm
Squeezing Planing Height:	6—160mm
Worktable Size:	307x290mm
Overall Dimension:	525x696x480mm
Number of Blades:	2



Carton Box
Size:57x36x50cm/1pc

G.W:29.5kgs

TP03

| Thickness Planer



2000W

SPECIFICATIONS:


Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	8000rpm
Feeding Speed:	6m/min
Planing Width:	330mm
Planing Height:	0—3mm
Squeezing Planing Height:	6—210mm
Worktable Size:	330x290mm
Overall Dimension:	525x696x530mm
Number of Blades:	2



Carton Box
Size:57x36x50cm/1pc

G.W:30kgs





BP01
| Bench Planer

1800W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	12000rpm
Planing Width:	155mm
Planing Height:	0—3mm
Fence Size:	360x63mm
Fence Angle:	90—135°
Blade Size:	155x16.5x2mm
Worktable Size:	582x155mm
Number Of Blades:	2



Carton Box Size:60x36x25.5cm/1pc G.W:10kgs

BP02
| Bench Planer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	8000rpm
Feeding Speed:	6m/min
Planing Width:	204mm
Planing Height:	0—3mm
Planing Depth:	6-120mm
Fence:	522x80mm
Fence Angle:	90—135°
Planer Working Table:	748x210mm
Thicknessing Working Table:	270x208mm
Blade Size:m	210x16.5x2mm
Squeezing Planing Height:	6—130mm
Number Of Blades:	2



Carton Box Size:84x46.5x44cm/1pc G.W:25.5kgs

BP03
| Bench Planer

1600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	8000rpm
Feeding Speed:	6m/min
Planing Width:	204mm
Planing Height:	0—3mm
Planing Depth:	6-120mm
Fence:	522x80mm
Fence Angle:	90—135°
Planer Working Table:	913x257mm
Thicknessing Working Table:	268x255mm
Blade Size:m	254x16.5x2mm
Squeezing Planing Height:	6—120mm
Number Of Blades:	2



Carton Box Size:101x51x44cm/1pc G.W:28.5kgs



DP01
| Drill Press

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	580-2650rpm(5 speed)
Chuck Size:	13mm
The Column Diameter:	46mm
Spindle Taper:	B16
Spindle Stroke:	50mm
Total Height:	580mm
Spindle to Column Distance:	105mm
Spindle/Base Distance:	300mm
Spindle/Table Distance:	220mm
Worktable Size:	160x160mm
Base Size:	290x195mm
Table Tilt Range:	0—45°



Color Box Size:43.5x33.5x22.5cm/1pc G.W:13kgs

DP02
| Drill Press

350W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	350W
No-load Speed:	580-2650rpm(5 speed)
Chuck Size:	13mm
The Column Diameter:	46mm
Spindle Taper:	B16
Spindle Stroke:	50mm
Total Height:	580mm
Spindle to Column Distance:	105mm
Spindle/Base Distance:	300mm
Spindle/Table Distance:	220mm
Worktable Size:	160x160mm
Base Size:	290x195mm
Table Tilt Range:	0—45°



Color Box Size:43.5x33.5x22.5cm/1pc G.W:14kgs

DP03
| Drill Press

500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	280-2350rpm(9 speed)
Chuck Size:	16mm
The Column Diameter:	46mm
Spindle Taper:	B16
Spindle Stroke:	50mm
Total Height:	610mm
Spindle to Column Distance:	115mm
Spindle/Base Distance:	330mm
Spindle/Table Distance:	245mm
Worktable Size:	175x175mm
Base Size:	320x195mm
Table Tilt Range:	0—45°



Color Box Size:46x36x23cm/1pc G.W:19kgs

DP04
| Drill Press

450W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	580-2650rpm(9 speed)
Chuck Size:	16mm
The Column Diameter:	58mm
Spindle Taper:	B16
Spindle Stroke:	60mm
Total Height:	840mm
Spindle to Column Distance:	126mm
Spindle/Base Distance:	515mm
Spindle/Table Distance:	400mm
Worktable Size:	200x200mm
Base Size:	340x210mm
Table Tilt Range:	0—45°



Color Box Size:69x44x25.5cm/1pc G.W:26kgs



DP05

| Drill Press



550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	220-2450rpm(12 speed)
Chuck Size:	16mm
The Column Diameter:	58mm
Spindle Taper:	B16
Spindle Stroke:	60mm
Total Height:	820mm
Spindle to Column Distance:	126mm
Spindle/Base Distance:	515mm
Spindle/Table Distance:	400mm
Worktable Size:	200x200mm
Base Size:	355x235mm
Table Tilt Range:	0—45°



Color Box
Size:69x44x25.5cm/1pc G.W:28kgs

DP06

| Drill Press



550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	220-2800rpm(12 speed)
Chuck Size:	16mm
The Column Diameter:	72mm
Spindle Taper:	MT2
Spindle Stroke:	80mm
Total Height:	980mm
Spindle to Column Distance:	162.5mm
Spindle/Base Distance:	630mm
Spindle/Table Distance:	450mm
Worktable Size:	250x250mm
Base Size:	420x250mm
Table Tilt Range:	0—45°



Color Box
Size:77x45x27cm/1pc G.W:38kgs

DP07

| Drill Press



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	220-2800rpm(16 speed)
Chuck Size:	20mm
The Column Diameter:	72mm
Spindle Taper:	MT2
Spindle Stroke:	85mm
Total Height:	1600mm
Spindle to Column Distance:	180mm
Spindle/Base Distance:	1175mm
Spindle/Table Distance:	685mm
Worktable Size:	290x290mm
Base Size:	460x270mm
Table Tilt Range:	0—45°



Color Box
Size:114x49x28cm/1pc G.W:56kgs



VC01

| Vacuum Cleaner Wet&Dry



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
Vacuity:	≥16kpa
Noise:	≤80db
Airflow Rate:	30L/s
Tank:	12L



Color Box
Size:28x28x38cm/1pc G.W:4.1kgs

VC02

| Vacuum Cleaner Wet&Dry



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
Vacuity:	≥17kpa
Noise:	≤83db
Airflow Rate:	33L/s
Tank:	20L



Color Box
Size:32x32x42cm/1pc G.W:4.5kgs

VC03

| Vacuum Cleaner Wet&Dry



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
Vacuity:	≥17kpa
Noise:	≤83db
Airflow Rate:	33L/s
Tank:	25L



Color Box
Size:33.5x33.5x50cm/1pc G.W:6.1kgs

VC04

| Vacuum Cleaner Wet&Dry



1400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1400W
Vacuity:	≥19kpa
Noise:	≤85db
Airflow Rate:	39L/s
Tank:	30L



Color Box
Size:33.5x33.5x59cm/1pc G.W:6.8kgs

VC05

| Vacuum Cleaner Wet&Dry



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
Vacuity:	≥23kpa
Noise:	≤78db
Airflow Rate:	37L/s
Tank:	40L



Color Box
Size:63x41.5x60cm/1pc G.W:16kgs




ASH VACUUM CLEANER

VC206
Ash Vacuum Cleaner



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
Vacuity:	≥13kpa
Noise:	≤75db
Airflow Rate:	21L/s
Tank:	4L



 Color Box
Size:22.5x22.5x25cm/1pc

G.W:2.3kgs

VC207
Ash Vacuum Cleaner



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
Vacuity:	≥13kpa
Noise:	≤75db
Airflow Rate:	21L/s
Tank:	10L



 Color Box
Size:28x28x23cm/1pc

G.W:2.8kgs

VC208
Ash Vacuum Cleaner



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
Vacuity:	≥13kpa
Noise:	≤75db
Airflow Rate:	21L/s
Tank:	15L



 Color Box
Size:28x28x34cm/1pc

G.W:3.8kgs

VC209
Ash Vacuum Cleaner



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
Vacuity:	≥18kpa
Noise:	≤80db
Airflow Rate:	35L/s
Tank:	20L



 Color Box
Size:30.5x30.5x37cm/1pc

G.W:4.2kgs



ELECTRIC LEAF BLOWER



ELB01
Electric Leaf Blower



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	13500rpm
Air Volume:	10m³/min
Wind Speed:	155km/h



 Color Box
Size:33x20x25.5cm/4pcs

G.W:10kgs



ELB02

| Electric Leaf Blower



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	13500rpm
Air Volume:	10m ³ /min
Wind Speed:	155km/h



Color Box Size: 33x20x25.5cm/4pcs G.W: 10kgs

ELB03

| Electric Leaf Blower



1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-19000rpm
Air Volume:	23m ³ /min
Wind Speed:	318km/h



Color Box Size: 48x50.5x41cm/4pcs G.W: 18kgs

ELB04

| Electric Leaf Blower




1050W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1050W
No-load Speed:	0-19000rpm
Air Volume:	23m ³ /min
Wind Speed:	318km/h



Color Box Size: 81.5x51.5x38.5cm/6pcs G.W: 19kgs



EVB01

| Electric Vacuum Blower



3500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3500W
No-load Speed:	9000-15000rpm
Air Volume:	13.2m ³ /min
Wind Speed:	160-270km/h
Collection Bag:	35L



Color Box Size: 27.5x25x47cm/1pc G.W: 3.2kgs

EVB02

| Electric Vacuum Blower



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	9000-14000rpm
Air Volume:	8-10m ³ /min
Wind Speed:	130-250km/h
Collection Bag:	45L



Color Box Size: 48.5x16.5x31.5cm/1pc G.W: 3.2kg

EVB03

| Electric Vacuum Blower



3000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	3000W
No-load Speed:	8000-14000rpm
Air Volume:	8-12m ³ /min
Wind Speed:	150-260km/h
Collection Bag:	45L



Color Box Size: 43x25x24.5cm/1pc G.W: 3.4kg





EGT01
| Electric Grass Trimmer

250W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	12500rpm
Cutting Width:	220mm
Line Size:	1.2mmx6m



Color Box
Size:65x39x42cm/12pcs
G.W:19kgs

EGT02
| Electric Grass Trimmer

250W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	250W
No-load Speed:	12000rpm
Cutting Width:	220mm
Line Size:	1.2mmx100mm



Color Box
Size:67x21.6x40cm/4pcs
G.W:9kgs

EGT03
| Electric Grass Trimmer

380W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	380W
No-load Speed:	12000rpm
Cutting Width:	250mm
Line Size:	1.2mmx6m



Color Box
Size:65.5x44x42cm/8pcs
G.W:17kgs

EGT04
| Electric Grass Trimmer

550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
No-load Speed:	10000rpm
Cutting Width:	300mm
Line Size:	1.6mmx6m



Color Box
Size:97x25x46cm/4pcs
G.W:12.6kgs

EGT05
| Electric Grass Trimmer

1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	8000rpm
Cutting Width:	350mm
Line Size:	1.6mmx4.8m



Color Box
Size:90x26x27cm/2pcs
G.W:4.8kgs

EGT06
| Electric Grass Trimmer

1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	7000rpm
Blade Size:	230mm
Cutting Width:	350mm
Line Size:	1.6mmx4.8m



Color Box
Size:94x29x22cm/2pcs
G.W:5.2kgs

EGT07
| Electric Grass Trimmer

1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	7000rpm
Blade Size:	255mm
Cutting Width:	380mm
Line Size:	1.6mmx5m



Color Box
Size:94x24.5x13.5cm/1pc
G.W:4.8kgs

EGT08
| Electric Grass Trimmer

1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	7000rpm
Blade Size:	255mm
Cutting Width:	380mm
Line Size:	1.6mmx5m



Color Box
Size:94x22x12cm/1pc
G.W:7.3kgs



EGT09

| Electric Grass Trimmer

1400W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	7500rpm
Blade Size:	255mm
Cutting Width:	420mm
Line Size:	1.6mmx5m



Color Box
Size:99x23x11cm/1pc

G.W:7.2kgs

EGT10

| Electric Grass Trimmer

1400W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	7500rpm
Blade Size:	255mm
Cutting Width:	420mm
Line Size:	1.6mmx5m



Color Box
Size:99x23x11cm/1pc

G.W:7.2kgs

EGT11

| Electric Grass Trimmer

1400W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	7000rpm
Blade Size:	255mm
Cutting Width:	430mm
Line Size:	2mmx5m



Color Box
Size:94x22x12cm/1pc

G.W:7.3kgs



EWS01

| Electric Weed Sweeper

140W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	140W
No-load Speed:	1200rpm
Brush Size:	100mm



Color Box
Size:67x26.5x40cm/4pcs

G.W:12kgs

EWS02

| Electric Weed Sweeper

150W



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	150W
No-load Speed:	1200rpm
Brush Size:	100mm



Color Box
Size:50.5x46x44cm/8pcs

G.W:18kgs



EWS03

| Electric Weed Sweeper



400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	400W
No-load Speed:	1800rpm
Brush Size:	110mm



Color Box Size:96.5x46x32cm/6pcs G.W:18kgs

EWS04

| Electric Weed Sweeper



1400W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	3000rpm
Blade Size:	190mm
Cutting Depth:	15mm; 25mm; 35mm



Color Box Size:76x27.5x27.5cm/1pc G.W:8.7kgs



ECS01

| Electric Chain Saw



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	13m/s
Bar Length:	12"
Chain Pitch:	3/8"
Oil Capacity:	130ml



Color Box Size:50x48x42cm/4pcs G.W:16kgs

ECS02

| Electric Chain Saw



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	14m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	150ml



Color Box Size:54x44.5x39cm/4pcs G.W:24kgs

ECS03

| Electric Chain Saw



1600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1600W
No-load Speed:	10.5m/s
Bar Length:	14"
Chain Pitch:	3/8"
Oil Capacity:	150ml



Color Box Size:45.5x38x21cm/2pcs G.W:9.1kgs

ECS04

| Electric Chain Saw



1600W/1800W/2000W/2200W/2400W

SPECIFICATIONS:		ECS04-A	ECS04-B	ECS04-C	ECS04-D	ECS04-E
Voltage/Frequency:		230V/50Hz				
Input Power:		1600W	1800W	2000W	2200W	2400W
No-load Speed:		12m/s	12m/s	12m/s	15m/s	15m/s
Bar Length:		16"				
Chain Pitch:		3/8"				
Oil Capacity:		200ml				



Color Box Size:51.5x41.5x21.5cm/2pcs G.W:12.6kgs

ECS05

| Electric Chain Saw



1600W/2000W/2400W

SPECIFICATIONS:		ECS05-A	ECS05-B	ECS05-C
Voltage/Frequency:		230V/50Hz		
Input Power:		1600W	2000W	2400W
No-load Speed:		15m/s		
Bar Length:		14"		
Chain Pitch:		3/8"		
Oil Capacity:		320ml		



Color Box Size:50x38x22cm/2pcs G.W:12.3kgs

ECS06

| Electric Chain Saw



1800W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	15m/s
Bar Length:	14"
Chain Pitch:	3/8"
Oil Capacity:	260ml



Color Box Size:57x21x40.5cm/2pcs G.W:13kgs



ECS07

| Electric Chain Saw



1800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	13.5m/s
Bar Length:	14"
Chain Pitch:	3/8"
Oil Capacity:	150ml



Color Box G.W:10.4kgs
Size:48.5x26.5x40.5cm/2pcs

ECS08

| Electric Chain Saw



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	13.5m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	180ml



Color Box G.W:10.8kgs
Size:48.5x26.5x40.5cm/2pcs

ECS09

| Electric Chain Saw



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	13m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	120ml



Color Box G.W:13kgs
Size:50x26x42cm/2pcs

ECS10

| Electric Chain Saw



1600W/2000W/2400W

SPECIFICATIONS:

	ECS10-A	ECS10-B	ECS10-C
Voltage/Frequency:	230V/50Hz		
Input Power:	1600W	2000W	2400W
No-load Speed:	15m/s		
Bar Length:	14"	16"	14"
Chain Pitch:	3/8"		
Oil Capacity:	320ml		



Color Box G.W:10.6kgs
Size:47.5x37.5x21cm/2pcs

ECS011

| Electric Chain Saw



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	15m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	260ml



Color Box G.W:13kgs
Size:57x21x40.5cm/2pcs

ECS012

| Electric Chain Saw



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	13m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	240ml



Color Box G.W:11.7kgs
Size:49x35x29.5cm/2pcs





ECS013

| Electric Chain Saw



2200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2200W
No-load Speed:	13.1m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	180ml



Color Box
Size:49x35x29.5cm/2pcs
G.W:11.7kgs

ECS14

| Electric Chain Saw



2000W/2400W

SPECIFICATIONS:

	ECS14-A	ECS14-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	2000W	2400W
No-load Speed:	16m/s	16m/s
Bar Length:	16"	16"
Chain Pitch:	3/8"	3/8"
Oil Capacity:	200ml	200ml



Color Box
Size:55x35.5x20cm/2pcs
G.W:11.5kgs

ECS15

| Electric Chain Saw



2000W/2400W

SPECIFICATIONS:

	ECS15-A	ECS15-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	2000W	2400W
No-load Speed:	16m/s	16m/s
Bar Length:	16"	16"
Chain Pitch:	3/8"	3/8"
Oil Capacity:	190ml	190ml



Color Box
Size:55x35.5x20cm/2pcs
G.W:11.5kgs

ECS16

| Electric Chain Saw



2000W/2400W

SPECIFICATIONS:

	ECS16-A	ECS16-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	2000W	2400W
No-load Speed:	16m/s	16m/s
Bar Length:	16"	16"
Chain Pitch:	3/8"	3/8"
Oil Capacity:	140ml	140ml



Color Box
Size:55x35.5x20cm/2pcs
G.W:11.5kgs

ECS17

| Electric Chain Saw



2000W/2400W

SPECIFICATIONS:

	ECS17-A	ECS17-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	2000W	2400W
No-load Speed:	13m/s	13m/s
Bar Length:	16"	16"
Chain Pitch:	3/8"	3/8"
Oil Capacity:	150ml	150ml



Color Box
Size:57x21x40.5cm/2pcs
G.W:13kgs

ECS018

| Electric Chain Saw



2200W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2200W
No-load Speed:	13.1m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	130ml



Color Box
Size:57x36x23.5cm/2pcs
G.W:13kgs

ECS019

| Electric Chain Saw



2400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2400W
No-load Speed:	15.8m/s
Bar Length:	16"
Chain Pitch:	3/8"
Oil Capacity:	140ml



Color Box
Size:39x26.5x24.5cm/2pcs
G.W:13.2kgs



ELECTRIC HEDGE TRIMMER



EHT01

| Electric Hedge Trimmer



400W

SPECIFICATIONS:

	EHT01-A	EHT01-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	400W	400W
No-load Speed:	1700rpm	1700rpm
Blade Length:	410mm	450mm
Blade Width:	16mm	16mm



Color Box
Size:83.5x24x23cm/4pcs
G.W:15.2kgs



EHT02

| Electric Hedge Trimmer



450W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	450W
No-load Speed:	1700rpm
Blade Length:	410mm
Blade Width:	16mm

Color Box Size:86x23.5x31cm/4pcs G.W:11kgs



EHT03

| Electric Hedge Trimmer



500W

SPECIFICATIONS:	EM02-A	EM02-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	500W	500W
No-load Speed:	1700rpm	1700rpm
Blade Length:	410mm	450mm
Blade Width:	16mm	16mm

Color Box Size:86x29.6x25cm/4pcs G.W:12.7kgs



EHT04

| Electric Hedge Trimmer



520W/600W

SPECIFICATIONS:	EM02-A	EM02-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	520W	600W
No-load Speed:	1750rpm	1750rpm
Blade Length:	410mm	510mm
Blade Width:	16mm	16mm

Color Box Size:84x14.5x15cm/4pcs G.W:11kgs | Color Box Size:98x31x24.5cm/4pcs G.W:12kgs



EHT05

| Electric Hedge Trimmer



550W

SPECIFICATIONS:	EHT05-A	EHT05-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	550W	550W
No-load Speed:	1500rpm	1500rpm
Blade Length:	450mm	510mm
Blade Width:	20mm	20mm

Color Box Size:94x42x25cm/4pcs G.W:14.5kgs



EHT06

| Electric Hedge Trimmer



600W

SPECIFICATIONS:	EM02-A	EM02-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	600W	600W
No-load Speed:	1400rpm	1400rpm
Blade Length:	510mm	550mm
Blade Width:	20mm	20mm

Color Box Size:94x42x25cm/4pcs G.W:14.5kgs



EHT07

| Electric Hedge Trimmer



600W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	600W
No-load Speed:	1700rpm
Blade Length:	510mm
Blade Width:	16mm

Color Box Size:102x25x43cm/4pcs G.W:17kgs



EHT08

| Electric Hedge Trimmer



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	1600rpm
Blade Length:	610mm
Blade Width:	24mm

Color Box Size:120x31x44cm/4pcs G.W:21.5kgs



ELECTRIC POLE CHAINSAW



EPC01

| Electric Pole Chainsaw




710W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	10.8m/s
Bar Length:	8"
Chain Pitch:	3/8"
Oil Capacity:	100ml

Color Box Size:150x20x11.2cm/2pcs G.W:9kgs





PHT01
Pole Hedge Trimmer


500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	3300rpm
Blade Length:	406mm
Blade Width:	16mm



Color Box Size:105x23x11cm/1pc G.W:11.5kgs



MFM01
Multi Function Machine

500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	500W
No-load Speed:	6000rpm
Cutting Width:	406mm
Blade Width:	16mm

710W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	710W
No-load Speed:	12.5m/s
Bar Length:	8"
Chain Pitch:	3/8"
Oil Capacity:	100ml



Color Box Size:121x23x11.5cm/1pc G.W:7kgs



MFM02
Multi Function Machine

900W

SPECIFICATIONS: **Electric Grass Trimmer**

Voltage/Frequency:	230V/50Hz
Input Power:	900W
No-load Speed:	11000rpm
Cutting Width:	380mm
Line Size:	2mmx2m



Color Box Size:109x23.5x18cm/1pc G.W:10.8kgs



Blade Electric Chain Saw
Electric Hedge Trimmer

SPECIFICATIONS: **Blade**

No-load Speed:	8500rpm
Blade Size:	230mm

SPECIFICATIONS: **Electric Chain Saw**

No-load Speed:	1600rpm
Blade Length:	410mm
Blade Width:	24mm

SPECIFICATIONS: **Electric Hedge Trimmer**

No-load Speed:	10m/s
Bar Length:8"	8"
Chain Pitch:	3/8"
Oil Capacity:	100ml





EGS01

| Electric Garden Shredder

2000W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4500rpm
Cutting Dia:	40mm
Collection Bag Capacity:	50L



Color Box Size:65.5x28.5x36cm/1pc G.W:12kg

EGS02

| Electric Garden Shredder

2000W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	4500rpm
Cutting Dia:	45mm
Collection Bag Capacity:	50L



Color Box Size:64x28x36.5cm/1pc G.W:9.5kg

EGS03

| Electric Garden Shredder

2500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2500W
No-load Speed:	4500rpm
Cutting Dia:	45mm
Collection Bag Capacity:	50L



Color Box Size:68x27.5x36cm/1pc G.W:11kg

EGS04

| Electric Garden Shredder

2600W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2600W
No-load Speed:	4500rpm
Cutting Dia:	45mm
Collection Bag Capacity:	50L



Color Box Size:52.5x37x51cm/1pc G.W:13kg

EGS05

| Electric Garden Shredder

2400W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2400W
No-load Speed:	4100rpm
Cutting Dia:	45mm
Collection Bag Capacity:	45L



Color Box Size:62x32x35.5cm/1pc G.W:10kg



EST01

| Electric Snow Thrower

1200W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3500rpm
Throw Distance:	6m
Cleaning Width:	280mm
Cleaning Depth:	150mm



Color Box Size:71x39x23cm/1pc G.W:4.5kg

EST02

| Electric Snow Thrower

1800W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1800W
No-load Speed:	2700rpm
Throw Distance:	6m
Cleaning Width:	460mm
Cleaning Depth:	270mm



Color Box Size:48x51x62cm/1pc G.W:16kg



EST03

| Electric Snow Thrower



2000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	2000W
No-load Speed:	3000rpm
Throw Distance:	7.5m
Cleaning Width:	460mm
Cleaning Depth:	250mm



Color Box
Size:61x49x56cm/1pc

G.W:15.5kg



ELECTRIC FARMING TILLER



EFT01

| Electric Farming Tiller



1000W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	350rpm
Working Width:	365mm
Blade Size:	200mm



Color Box
Size:60x43x27.5cm/1pc

G.W:10.5kg

EFT02

| Electric Farming Tiller



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	300rpm
Working Width:	450mm
Blade Size:	180mm



Color Box
Size:51x49x31cm/1pc

G.W:15.8kg

EFT03

| Electric Farming Tiller



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	390rpm
Working Width:	450mm
Blade Size:	220mm



Color Box
Size:56x40.5x51cm/1pc

G.W:14kg

EFT04-A

| Electric Farming Tiller



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	400rpm
Working Width:	400mm
Blade Size:	200mm



Color Box
Size:56.5x42.9x33cm/1pc

G.W:14.3kg

EFT04-B

| Electric Farming Tiller



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
No-load Speed:	400rpm
Working Width:	400mm
Blade Size:	200mm



Color Box
Size:56.5x42.9x33cm/1pc

G.W:14 kg

EFT05

| Electric Farming Tiller



1500W/1500W/1800W

SPECIFICATIONS:

	EFT05-A	EFT05-B	EFT05-C
Voltage/Frequency:	230V/50Hz		
Input Power:	1500W	1500W	1800W
No-load Speed:	400rpm		
Working Width:	400mm	450mm	450mm
Blade Size:	220mm	220mm	220mm



Color Box
Size:57x42x33cm/1pc

G.W:12kg





ELM01

| Electric Lawn Mower



1000W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1000W
No-load Speed:	3500rpm
Cutting Width:	300mm
Grass Box:	25L
Cutting Height Adjustment:	25—55mm



Color Box Size:57x38x26cm/1pc G.W.:8.3kg

ELM02

| Electric Lawn Mower



1300W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1300W
No-load Speed:	3500rpm
Cutting Width:	320mm
Grass Box:	25L
Cutting Height Adjustment:	25—55mm



Color Box Size:57x38x26cm/1pc G.W.:8.5kg

ELM03

| Electric Lawn Mower



1000W/1200W

SPECIFICATIONS:	ELM03-A	ELM03-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1000W	1200W
No-load Speed:	3300rpm	3300rpm
Cutting Width:	320mm	320mm
Grass Box:	25L	25L
Cutting Height Adjustment:	25—65mm	25—65mm

Color Box Size:60.5x38x27cm/1pc G.W.:10.5kg

ELM04

| Electric Lawn Mower



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3500rpm
Cutting Width:	320mm
Grass Box:	30L
Cutting Height Adjustment:	25—65mm



Color Box Size:63x38x32cm/1pc G.W.:10.5kg

ELM05

| Electric Lawn Mower



1200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1200W
No-load Speed:	3300rpm
Cutting Width:	320mm
Grass Box:	30L
Cutting Height Adjustment:	28—68mm



Color Box Size:67x44x28cm/1pc G.W.:12.5kg

ELM06

| Electric Lawn Mower



1200W/12300W

SPECIFICATIONS:	ELM06-A	ELM06-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1300W
No-load Speed:	3300rpm	3300rpm
Cutting Width:	330mm	330mm
Grass Box:	30L	30L
Cutting Height Adjustment:	25—65mm	25—65mm

Color Box Size:67x44x28cm/1pc G.W.:12.5kg



ELM07

| Electric Lawn Mower



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	3500rpm
Cutting Width:	340mm
Grass Box:	30L
Cutting Height Adjustment:	25—65mm



Color Box
Size:63x38x32cm/1pc

G.W.:10.5kg

ELM08

| Electric Lawn Mower



1400W/1500W

SPECIFICATIONS:

	ELM08-A	ELM08-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1400W	1500W
No-load Speed:	3300rpm	3300rpm
Cutting Width:	370mm	370mm
Grass Box:	30L	30L
Cutting Height Adjustment:	25-75mm	25-75mm



Color Box
Size:67x44x28cm/1pc

G.W.:12.5kg



ELM09

| Electric Lawn Mower



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
No-load Speed:	3200rpm
Cutting Width:	380mm
Grass Box:	35L
Cutting Height Adjustment:	28-68mm



Color Box
Size:66x45.5x33cm/1pc

G.W.:10.5kg

ELM10

| Electric Lawn Mower



1600W/1700W/1800W

SPECIFICATIONS:

	ELM10-A	ELM10-B	ELM10-C
Voltage/Frequency:	230V/50Hz	230V/50Hz	230V/50Hz
Input Power:	1600W	1700W	1800W
No-load Speed:	3000rpm	3000rpm	3000rpm
Cutting Width:	400mm	400mm	400mm
Grass Box:	35L	35L	35L
Cutting Height Adjustment:	25-75mm	25-75mm	25-75mm



Color Box
Size:72x48.5x29cm/1pc

G.W.:13.8kg



**HIGH
PRESSURE
CLEANER**



HPC01

| High Pressure Cleaner



1000W/1200W

SPECIFICATIONS:

	HPC01-A	HPC01-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1000W	1200W
Working Pressure:	50bar	50bar
Max.Pressure:	80bar	80bar
Working Flow:	5L/min	5L/min
Max.Flow:	5.5L/min	5.5L/min



Color Box
Size:33x25x26cm/1pc

G.W.:4.8kg



HPC02

| High Pressure Cleaner



1300W/1600W

SPECIFICATIONS:

	HPC02-A	HPC02-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1300W	1600W
Working Pressure:	70bar	70bar
Max.Pressure:	100bar	100bar
Working Flow:	6L/min	6L/min
Max.Flow:	7.5L/min	7.5L/min



Color Box
Size:42x31x22cm/1pc

G.W.:5.5kg



HPC03-A

| High Pressure Cleaner



1200W/1500W

SPECIFICATIONS:

	HPC03-A1	HPC03-A2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1500W
Working Pressure:	55bar	70bar
Max.Pressure:	82bar	105bar
Working Flow:	4.5L/min	5L/min
Max.Flow:	6.5L/min	6.8L/min



Color Box
Size:26x24x45cm/1pc

G.W.:5.5kg



HPC03-B

| High Pressure Cleaner



1200W/1500W

SPECIFICATIONS:

	HPC03-B1	HPC03-B2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1500W
Working Pressure:	55bar	70bar
Max.Pressure:	82bar	105bar
Working Flow:	4.5L/min	5L/min
Max.Flow:	5.5L/min	6.8L/min



Color Box
Size:26x24x45cm/1pc

G.W.:6kg





HPC03-C

High Pressure Cleaner



1200W/1500W

SPECIFICATIONS:	HPC03-C1	HPC03-C2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1500W
Working Pressure:	55bar	70bar
Max. Pressure:	82bar	105bar
Working Flow:	4.5L/min	5L/min
Max. Flow:	6.5L/min	6.8L/min

Color Box Size:33x26x39cm/1pc G.W.:7kg

HPC04-A

High Pressure Cleaner



1500W/1600W

SPECIFICATIONS:	HPC04-A1	HPC04-A2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1500W	1600W
Working Pressure:	70bar	75bar
Max. Pressure:	105bar	115bar
Working Flow:	5L/min	5.5L/min
Max. Flow:	6.8L/min	7L/min

Color Box Size:29x29x49cm/1pc G.W.:6.3kg

HPC04-B

High Pressure Cleaner



1500W/1600W

SPECIFICATIONS:	HPC04-B1	HPC04-B2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1500W	1600W
Working Pressure:	70bar	75bar
Max. Pressure:	105bar	115bar
Working Flow:	5L/min	5.5L/min
Max. Flow:	6.8L/min	7L/min

Color Box Size:29x29x77.5cm/1pc G.W.:7.5kg

HPC04-C

High Pressure Cleaner



1500W/1600W

SPECIFICATIONS:	HPC04-C1	HPC04-C2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1500W	1600W
Working Pressure:	70bar	75bar
Max. Pressure:	105bar	115bar
Working Flow:	5L/min	5.5L/min
Max. Flow:	6.8L/min	7L/min

Color Box Size:29x29x77.5cm/1pc G.W.:11kg

HPC05-A

High Pressure Cleaner



1200W/1500W

SPECIFICATIONS:	HPC05-A1	HPC05-A2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1200W	1500W
Working Pressure:	55bar	70bar
Max. Pressure:	80bar	105bar
Working Flow:	5L/min	5.5L/min
Max. Flow:	6.5L/min	6.8L/min

Color Box Size:28x26x49.5cm/1pc G.W.:5.5kg

HPC05-B

High Pressure Cleaner



1800W/2200W

SPECIFICATIONS:	HPC05-B1	HPC05-B2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1800W	2200W
Working Pressure:	90bar	110bar
Max. Pressure:	135bar	165bar
Working Flow:	5.5L/min	5.5L/min
Max. Flow:	8L/min	7.3L/min

Color Box Size:35x31x49.5cm/1pc G.W.:6.8kg

HPC05-C

High Pressure Cleaner



1800W/2200W

SPECIFICATIONS:	HPC05-C1	HPC05-C2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1800W	2200W
Working Pressure:	90bar	110bar
Max. Pressure:	135bar	165bar
Working Flow:	5.5L/min	5.5L/min
Max. Flow:	8L/min	7.3L/min

Color Box Size:35x31x49.5cm/1pc G.W.:9.8kg

HPC05-D

High Pressure Cleaner



1800W/2200W

SPECIFICATIONS:	HPC05-D1	HPC05-D2
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	1800W	2200W
Working Pressure:	90bar	110bar
Max. Pressure:	135bar	165bar
Working Flow:	5.5L/min	5.5L/min
Max. Flow:	8L/min	7.3L/min

Color Box Size:35x32.5x73.5cm/1pc G.W.:12.5kg





HPC06-A

| High Pressure Cleaner



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
Working Pressure:	90bar
Max.Pressure:	135bar
Working Flow:	5L/min
Max.Flow:	8L/min



Color Box G.W.:6.3kg
Size:35.7x29x60.5cm/1pc

HPC06-B

| High Pressure Cleaner



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
Working Pressure:	90bar
Max.Pressure:	135bar
Working Flow:	5L/min
Max.Flow:	8L/min



Color Box G.W.:9.5kg
Size:38.1x37.6x60cm/1pc

HPC06-C

| High Pressure Cleaner



1400W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1400W
Working Pressure:	90bar
Max.Pressure:	135bar
Working Flow:	5L/min
Max.Flow:	8L/min



Color Box G.W.:12.5kg
Size:38.1x37.6x90cm/1pc

HPC07

| High Pressure Cleaner




1900W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1900W
Working Pressure:	100bar
Max.Pressure:	150bar
Working Flow:	6L/min
Max.Flow:	8L/min



Color Box G.W.:16.8kgs
Size:30x40x49cm/1pc



EWPO1

| Submersible Pumps



250W/400W/750W/900W

SPECIFICATIONS:

	EWPO1-A	EWPO1-B	EWPO1-C	EWPO1-D
Voltage/Frequency:	230V/50Hz			
Input Power:	250W	400W	750W	900W
Max.Flow:	5000L/H	7000L/H	13000L/H	14000L/H
Max.Height:	6M	7.5M	7.5M	11M
Max.Depth:	7M	7M	7M	7M

Color Box G.W.:18.3kgs
Size:46x34x33cm/4pcs



EWPO2

| Submersible Pumps



400W/750W

SPECIFICATIONS:

	EWPO2-A	EWPO2-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	400W	750W
Max.Flow:	7000L/H	9500L/H
Max.Height:	7M	8M
Max.Depth:	7M	7M

Color Box G.W.:22.2kgs
Size:46x38x36cm/4pcs



EWPO3

| Submersible Pumps



750W/900W

SPECIFICATIONS:

	EWPO3-A	EWPO3-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	750W	900W
Max.Flow:	10500L/H	13000L/H
Max.Height:	8M	8.5M
Max.Depth:	7M	8M

Color Box G.W.:24.2kgs
Size:46x34x36cm/4pcs



EWPO4

| Submersible Pumps



750W/900W

SPECIFICATIONS:

	EWPO4-A	EWPO4-B
Voltage/Frequency:	230V/50Hz	230V/50Hz
Input Power:	750W	900W
Max.Flow:	12500L/H	14000L/H
Max.Height:	8M	8M
Max.Depth:	7M	8.5M

Color Box G.W.:27kgs
Size:46x37.5x38.5cm/4pcs





EWPO5

| Submersible Pumps



370W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	370W
No-load Speed:	2850rpm
Max.Flow:	1500L/H
Max.Lift:	16M
Inlet/Outlet:	1"



Color Box
Size:20x15x38cm/2pcs

G.W:17kgs

EWPO6

| Submersible Pumps



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	2850rpm
Max.Flow:	11000L/H
Max.Lift:	7.2M
Inlet/Outlet:	2"



Color Box
Size:25.5x20x54cm/1pc

G.W:21kgs

EWPO7

| Submersible Pumps



750W


SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
No-load Speed:	2850rpm
Max.Flow:	18000L/H
Max.Lift:	12M
Inlet/Outlet:	2"



Color Box
Size:25.5x20x54cm/1pc

G.W:22kg



EWPO8-A

| Garden Pumps



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Max.Flow:	3200L/H
Max.Height:	40M
Max.Depth:	8M



Color Box
Size:47x38x29.5cm/2pcs

G.W:14.7kgs

EWPO8-B

| Garden Pumps



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Max.Flow:	3200L/H
Max.Height:	40M
Max.Depth:	8M



Color Box
Size:47x38x29.5cm/2pcs

G.W:14.7kgs

EWPO8-C

| Garden Pumps



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Max.Flow:	3200L/H
Max.Height:	40M
Max.Depth:	8M



Color Box
Size:47x38x29.5cm/2pcs

G.W:15.1kgs

EWPO8-D

| Garden Pumps



800W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	800W
Max.Flow:	3200L/H
Max.Height:	40M
Max.Depth:	8M



Color Box
Size:47x38x29.5cm/2pcs

G.W:15.1kgs





PERIPHERAL PUMPS



EWPO9-A

Peripheral Pumps



370W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	370W
Max.Depth:	8M
Max.Flow:	1740L/H
Max.Lift:	27M
Inlet/Outlet:	1"



Color Box G.W:31kgs
Size:44.5x26.5x36.5cm/6pcs

EWPO9-B

Peripheral Pumps



370W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	370W
Max.Depth:	8M
Max.Flow:	1740L/H
Max.Lift:	33M
Inlet/Outlet:	1"



Color Box G.W:33kgs
Size:44.5x30x38cm/6pcs

EWPO9-C

Peripheral Pumps



550W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	550W
Max.Depth:	8M
Max.Flow:	2520L/H
Max.Lift:	43M
Inlet/Outlet:	1"



Color Box G.W:7.8kgs
Size:33x18x20.5cm/1pc

EWPO9-D

Peripheral Pumps




750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Depth:	8M
Max.Flow:	2820L/H
Max.Lift:	43M
Inlet/Outlet:	1"



Color Box G.W:8.8kgs
Size:33x18x20.5cm/1pc



CENTRIFUGAL PUMPS



EWP10-A

Centrifugal Pumps



750W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Depth:	8M
Max.Flow:	5640L/H
Max.Lift:	27M
Inlet/Outlet:	1"



Color Box G.W:13kg
Size:34x23x27.5cm/1pc

EWP10-B

Centrifugal Pumps



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
Max.Depth:	8M
Max.Flow:	7140L/Min
Max.Lift:	38M
Inlet/Outlet:	1"



Color Box G.W:22kg
Size:40x27.5x33cm/1pc

EWP10-C

Centrifugal Pumps



1500W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	1500W
Max.Depth:	8M
Max.Flow:	2340L/H
Max.Lift:	17M
Inlet/Outlet:	2"



Color Box G.W:16.1kg
Size:39.5x22x26.5cm/1pc



EWP10-D

| Centrifugal Pumps




2200W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2200W
Max.Depth:	8M
Max.Flow:	4740L/H
Max.Lift:	13M
Inlet/Outlet:	3"



Color Box Size:44x25.5x34cm/1pc G.W:25.2kg



EWP11-A

| Jet Pumps



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Depth:	8M
Max.Flow:	3120L/H
Max.Lift:	42M
Inlet/Outlet:	1"



Color Box Size:44x20x23cm/1pc G.W:13.5kg

EWP11-B

| Jet Pumps



1500W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
Max.Depth:	8M
Max.Flow:	4320L/H
Max.Lift:	60M
Inlet:	1.25"
Outlet:	1"



Color Box Size:45.5x22x26cm/1pc G.W:24.3kg

EWP11-C

| Jet Pumps




750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Depth:	8M
Max.Flow:	2520L/H
Max.Lift:	40M
Inlet/Outlet:	1"



Color Box Size:39.5x21.5x25.5cm/1pc G.W:9.2kg



EWP12-A

| Self-priming Pumps



370W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	370W
Max.Depth:	8M
Max.Flow:	2520L/H
Max.Lift:	32M
Inlet/Outlet:	1"



Color Box Size:29.5x20x27cm/1pc G.W:7.2kg

EWP12-B

| Self-priming Pumps



550W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	550W
Max.Depth:	8M
Max.Flow:	2700L/H
Max.Lift:	42M
Inlet/Outlet:	1"



Color Box Size:30.5x22.5x29.5cm/1pc G.W:10.2kg

EWP12-C

| Self-priming Pumps



750W

SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Depth:	8M
Max.Flow:	2700L/H
Max.Lift:	45M
Inlet/Outlet:	1"



Color Box Size:30.5x22.5x29.5cm/1pc G.W:10.5kg



VIBRATION PUMPS

EWP13-A
| Vibration Pumps



250W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	250W
Max.Flow:	1080L/H
Max.Lift:	18M
Inlet/Outlet:	14mm



Color Box Size:32x32x30cm/6pcs G.W:23kgs

EWP13-B
| Vibration Pumps



250W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	250W
Max.Flow:	1080L/H
Max.Lift:	18M
Inlet/Outlet:	14mm



Color Box Size:38x36x32cm/6pcs G.W:26kgs

SUBMERSIBLEDEEP WELL PUMPS

EWP14-A
| SubmersibleDeep Well Pumps



370W

SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	370W
Max.Flow:	3300L/H
Max.Lift:	56M
Inlet/Outlet:	1.25"



Color Box Size:43x73.5x72cm/1pc G.W:11kg

EWP13-B
| SubmersibleDeep Well Pumps



750W


SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Power:	750W
Max.Flow:	3300L/H
Max.Lift:	98M
Inlet/Outlet:	1.25"



Color Box Size:58x93x91cm/1pc G.W:14kg





BC01
| Battery Charger

250W



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=5A
Min Charger Current:	12V=2A
Max.Charger Current:	24V=7A
Min Charger Current:	24V=2.5A
AC Power Input:	[24VMax]250W
Battery Capacities:	20—150Ah



Carton Box Size:50x32x16cm/4pcs G.W:17kgs

BC02
| Battery Charger

330W



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=6A
Min Charger Current:	12V=2A
Max.Charger Current:	24V=9A
Min Charger Current:	24V=2.5A
AC Power Input:	[24VMax]330W
Battery Capacities:	20—200Ah



Carton Box Size:50x32x16cm/4pcs G.W:17kgs

BC03
| Battery Charger

580W



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=12A
Min Charger Current:	12V=5A
Max.Charger Current:	24V=15A
Min Charger Current:	24V=7A
AC Power Input:	[24VMax]580W
Battery Capacities:	20—250Ah



Carton Box Size:50x42x16cm/4pcs G.W:19kgs

BC04
| Battery Charger

850W



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=28A
Min Charger Current:	12V=16A
Start Current:	24V=100A
Max.Charger Current:	24V=30A
Min Charger Current:	24V=16A
Start Current:	24V=80A
Battery Capacities:	40—350Ah
AC Power Input:	[Max.24V]850W
AC Power Input:	[Start 24V]2.5KW



Carton Box Size:60x30x28cm/1pc G.W:16kgs

BC05
| Battery Charger

850W



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=35A
Min Charger Current:	12V=20A
Start Current:	12V=140A
Max.Charger Current:	24V=38A
Min Charger Current:	24V=22A
Start Current:	24V=120A
Battery Capacities:	40—350Ah
AC Power Input:	[Max.24V]850W
AC Power Input:	[Start 24V]2.5KW



Carton Box Size:60x30x28cm/1pc G.W:18kgs

BC06
| Battery Charger

1.2KW



SPECIFICATIONS:	
Rated Input Voltage:	220V
Charger Voltage:	12/24V
Max.Charger Current:	12V=43A
Min Charger Current:	12V=21A
Start Current:	12V=120A
Max.Charger Current:	24V=40A
Min Charger Current:	24V=23A
Start Current:	24V=110A
Battery Capacities:	40—350Ah
AC Power Input:	[Max.24V]1.2KW
AC Power Input:	[Start 24V]3.7KW



Carton Box Size:68x29x36cm/1pc G.W:23kgs





WM01

MMA



WM01-A
120A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 5.1KWA
 Actual Current: 120A
 No-load Voltage: 56V
 Duty Cycle(25°C): 40%
 Suitable Electrode 1.6—2.5mm
 Color Box G.W:5.1kg
 Size:44x36x31cm/1pc

WM01-D
180A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 8.3KWA
 Actual Current: 180A
 No-load Voltage: 56V
 Duty Cycle(25°C): 30%
 Suitable Electrode 1.6—4.0mm
 Color Box G.W:5.7kg
 Size:44x36x31cm/1pc

WM01-B
140A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 6.1KWA
 Actual Current: 140A
 No-load Voltage: 56V
 Duty Cycle(25°C): 40%
 Suitable Electrode 1.6—3.2mm
 Color Box G.W:5.3kg
 Size:44x36x31cm/1pc

WM01-E
200A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 10.8KWA
 Actual Current: 200A
 No-load Voltage: 56V
 Duty Cycle(25°C): 25%
 Suitable Electrode 1.6—5.0mm
 Color Box G.W:5.9kg
 Size:44x36x31cm/1pc

WM01-C
160A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 7.2KWA
 Actual Current: 160A
 No-load Voltage: 56V
 Duty Cycle(25°C): 30%
 Suitable Electrode 1.6—4.0mm
 Color Box G.W:5.8kg
 Size:44x36x31cm/1pc

WM01-F
220A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 10.8KWA
 Actual Current: 220A
 No-load Voltage: 56V
 Duty Cycle(25°C): 20%
 Suitable Electrode 1.6—5.0mm
 Color Box G.W:6.2kg
 Size:44x36x31cm/1pc

WM02

MMA



WM02-A
160A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 7.2KWA
 Actual Current: 160A
 No-load Voltage: 56V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—4.0mm
 Color Box G.W:5.5kg
 Size:49.5x26.5x33cm/1pc

WM02-D
180A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 9.6KWA
 Actual Current: 200A
 No-load Voltage: 56V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—5.0mm
 Color Box G.W:5.9kg
 Size:49.5x26.5x33cm/1pc

WM02-B
160A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 7.2KWA
 Actual Current: 160A
 No-load Voltage: 56V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—4.0mm
 Color Box G.W:5.3kg
 Size:49.5x26.5x33cm/1pc

WM02-E
220A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 10.8KWA
 Actual Current: 220A
 No-load Voltage: 56V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—5.0mm
 Color Box G.W:6.2kg
 Size:49.5x26.5x33cm/1pc

WM02-C
180A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 8.3KWA
 Actual Current: 180A
 No-load Voltage: 56V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—4.0mm
 Color Box G.W:5.8kg
 Size:49.5x26.5x33cm/1pc

WM02-F
250A
 SPECIFICATIONS:
 Voltage/Frequency: 230V/50Hz
 Rated Input Capacity: 11.3KWA
 Actual Current: 250A
 No-load Voltage: 65V
 Duty Cycle(25°C): 60%
 Suitable Electrode 1.6—5.0mm
 Color Box G.W:6.2kg
 Size:49.5x26.5x33cm/1pc



WM03

MIG



SPECIFICATIONS: **WM03-A**

Voltage/Frequency:	230V/50Hz
Rated Output Current:	MMA:30-100A;MIG:40-100A/TIG:30-100A
No-load Voltage:	55V
Duty Cycle(25°C):	MMA:30%;MIG:40%;LTFT TIG:50%
Suitable Electrode:	0.6—0.8mm

Color Box	G.W:4.85kg
Size:37x20.5x29cm/1pc	



SPECIFICATIONS: **WM03-B**

Voltage/Frequency:	230V/50Hz
Rated Output Current:	MMA:30-120A;MIG:40-120A/TIG:30-120A
No-load Voltage:	55V
Duty Cycle(25°C):	MMA:30%;MIG:40%;LTFT TIG:50%
Suitable Electrode:	0.6—0.8mm

Color Box	G.W:5kg
Size:37x20.5x29cm/1pc	



WM04

MIG



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Rated Input Current:	MIG:21.8A;MMA:26.7A
Rated Input Capacity:	MIG:4.8KVA;MMA:5.9KVA
Rated Output Current:	MMA:30-135A;MIG:40-135A;TIG:30-135A
No-load Voltage:	55V
Duty Cycle(25°C):	60%
Suitable Electrode:	0.6—0.8mm

Color Box	G.W:8kg
Size:43x26x32.5cm/1pc	



WM05

Multifunctional Welding Machine



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Rated Input Current:	MMA:43.6A;TIG:28A
Rated Output Current:	MMA:200A;TIG:200A
No-load Voltage:	MMA:62V;TIG:62V
Rated Output Voltage:	MMA:28V;TIG:18V
Duty Cycle(25°C):	60%

Color Box	G.W:12.3kg
Size:43x21x38cm/1pc	



WM06

Multifunctional Welding Machine



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Rated Input Current:	22.2A
Rated Input Capacity:	4.9KVA
Rated Output Current:	20—170A
Voltage Range:	16.8V
NO-load Voltage:	60V
Duty Cycle(25°C):	60%
Usable Electrode:	2.0—4.0mm

Color Box	G.W:11kg
Size:54x20x43.5cm/1pc	



WM07

Multifunctional Welding Machine



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Rated Input Current:	28A
Rated Input Capacity:	6.1KVA
Rated Output Current:	20—200A
Voltage Range:	18V
No-load Voltage:	60V
Duty Cycle(25°C):	60%
Usable Electrode:	2.0—4.0mm

Color Box	G.W:13.5kg
Size:54x20x43.5cm/1pc	



WM08

Multifunctional Welding Machine



SPECIFICATIONS:

Voltage/Frequency:	230V/50Hz
Input Current:	MIG:38A;MMA:44A;TIG:28;CUT:39A
Output Current:	MIG:200A;MMA:200A;TIG:200;CUT:50A
No-load Voltage:	MIG:62V;MMA:62V;TIG:62V;CUT:26.4V
Voltage Range:	MIG:2.4V;MMA:28V;TIG:18V;CUT:100V
Duty Cycle:	MIG:60%;MMA:40%;TIG:60%;CUT:40%

Color Box	G.W:18kg
Size:60x38.5x42cm/1pc	





AC01

| Direct Driven Air Compressor

1100W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1100W
Horse Power:	1.5HP
No-load Speed:	2850rpm
Tank Capacity:	24L
Air Flow:	118L/min
Pressure:	8bar/115psi



Color Box Size:57x27x57.5cm/1pc G.W:18kg

AC02

| Direct Driven Air Compressor

1500W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	1500W
Horse Power:	2HP
No-load Speed:	2850rpm
Tank Capacity:	50L
Air Flow:	188L/min
Pressure:	8bar/115psi



Color Box Size:68x32x63cm/1pc G.W:25.5kg

AC03

| Direct Driven Air Compressor

2200W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	2200W
Horse Power:	3HP
No-load Speed:	2850rpm
Tank Capacity:	50L
Air Flow:	188L/min
Pressure:	8bar/115psi



Color Box Size:77x38x75cm/1pc G.W:40.5kg



AC04

| Oilfree Air Compressor

770W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	770W
Horse Power:	1.03HP
No-load Speed:	2800rpm
Tank Capacity:	9L
Air Flow:	60L/min
Pressure:	8bar/115psi



Color Box Size:46x19.5x47.5cm/1pc G.W:14kg

AC05

| Oilfree Air Compressor

770W



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	770W
Horse Power:	1.03HP
No-load Speed:	2800rpm
Tank Capacity:	24L
Air Flow:	60L/min
Pressure:	8bar/115psi



Color Box Size:56.5x24x54cm/1pc G.W:16kg

AC06

| Oilfree Air Compressor

770W X 2



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	770W x 2
Horse Power:	2.06HP
No-load Speed:	2800rpm
Tank Capacity:	50L
Air Flow:	120L/min
Pressure:	8bar/115psi



Color Box Size:61x31.5x56cm/1pc G.W:31kg

AC07

| Oilfree Air Compressor

770W X 3



SPECIFICATIONS:	
Voltage/Frequency:	230V/50Hz
Input Power:	770W x 3
Horse Power:	3.1HP
No-load Speed:	2800rpm
Tank Capacity:	70L
Air Flow:	180L/min
Pressure:	8bar/115psi



Color Box Size:79x34x64cm/1pc G.W:45kg



CAC01
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 7.4V
Air Flow:	21L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:16kgs
Size:39x25.5x27.5cm/30pcs

CAC02
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 7.4V
Air Flow:	21L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:12.6kgs
Size:35.5x22.5x29.5cm/24pcs

CAC03
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 7.4V & 12V
Air Flow:	21L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:15kgs
Size:41.5x27x28.5cm/24pcs

CAC04
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 7.4V
Air Flow:	20L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:14.7kgs
Size:46x39x15.5cm/25pcs

CAC05
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 11.1V & 12V
Air Flow:	20L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:15.2kgs
Size:52x40x23.5cm/20pcs

CAC06
| Car Air Compressor

60W



SPECIFICATIONS:	
Input Power:	60W
Voltage:	DC 11.1V & 12V
Air Flow:	20L/min
Pressure:	150psi
Unit:	Bar & Psi & Kpa & kg/cm ²
Type-C	

Color Box G.W:15.2kgs
Size:52x40x23.5cm/20pcs





CAC07

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	300psi
Inflate Speed:	15L/min



Color Box G.W:13kgs
Size:54x34.5x26.5cm/24pcs

CAC08

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	260psi
Inflate Speed:	15L/min



Color Box G.W:17kgs
Size:51x39x39cm/24pcs

CAC09

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	300psi
Inflate Speed:	15L/min



Color Box G.W:13kgs
Size:48x36.5x29.5cm/20pcs

CAC10

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	300psi
Inflate Speed:	15L/min



Color Box G.W:13kgs
Size:48x36.5x29.5cm/20pcs

CAC11

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	250psi
Inflate Speed:	15L/min



Color Box G.W:18kgs
Size:37.5x30.5x35cm/20pcs

CAC12

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	260psi
Inflate Speed:	15L/min



Color Box G.W:8kgs
Size:37.5x32x16.5cm/12pcs

CAC13

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	250psi
Inflate Speed:	15L/min



Color Box G.W:14.5kgs
Size:47x32x40cm/24pcs

CAC14

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	260psi
Inflate Speed:	15L/min



Color Box G.W:7kgs
Size:47x20.5x38cm/10pcs

CAC15

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	150psi
Inflate Speed:	15L/min



Color Box G.W:19kgs
Size:44x36x33cm/20pcs



CAC16

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	150psi
Inflate Speed:	15L/min



Color Box
Size:43x43x35cm/12pcs

G.W:18kgs

CAC17

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	150psi
Inflate Speed:	35L/min



Color Box
Size:51.5x21.5x34cm/10pcs

G.W:17.5kgs

CAC18

| Car Air Compressor



12V

SPECIFICATIONS:

Voltage:	12V
Pressure:	150psi
Inflate Speed:	55L/min



Color Box
Size:49x30.5x47cm/6pcs

G.W:17kgs



CVC01

| Car Vacuum Cleaner



60W

SPECIFICATIONS:

Input Power:	60W
Voltage:	7.4V
Vacuity:	≥4kpa
Noise:	≤80db
Unit:	Bar & Psi & Kpa & kg/cm ²



Color Box
Size:53x39.5x43cm/20pcs

G.W:16kgs

CVC02

| Car Vacuum Cleaner



65W

SPECIFICATIONS:

Input Power:	65W
Voltage:	7.4V
Vacuity:	≥5kpa
Noise:	≤80db
Unit:	Bar & Psi & Kpa & kg/cm ²



Color Box
Size:54x40.5x44cm/20pcs

G.W:16.5kgs

CVC03

| Car Vacuum Cleaner



80W

SPECIFICATIONS:

Input Power:	80W
Voltage:	7.4V
Vacuity:	≥10kpa
Noise:	≤76db
Unit:	Bar & Psi & Kpa & kg/cm ²



Color Box
Size:54x40.5x44cm/20pcs

G.W:16.5kgs

CVC04

| Car Vacuum Cleaner



12V

SPECIFICATIONS:

Voltage:	12V
Vacuity:	≥1.5kpa
Noise:	≤80db



Color Box
Size:52.5x30x52cm/20pcs

G.W:11kgs

CVC05

| Car Vacuum Cleaner



12V

SPECIFICATIONS:

Voltage:	12V
Vacuity:	≥1.6kpa
Noise:	≤75db



Color Box
Size:63.5x35x38cm/18pcs

G.W:11.5kgs



CVC06

| Car Vacuum Cleaner



12V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥8kpa
Noise:	≤78db



	Color Box	G.W:16kgs
	Size:51.5x30.5x51.5cm/20pcs	

CVC07

| Car Vacuum Cleaner



12V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥8kpa
Noise:	≤78db



	Color Box	G.W:11kgs
	Size:61x43.5x32cm/10pcs	

CVC08

| Car Vacuum Cleaner



12V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥8kpa
Noise:	≤78db



	Color Box	G.W:18kgs
	Size:65x41x52cm/24pcs	

CVC09

| Car Vacuum Cleaner



12V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥8kpa
Noise:	≤78db



	Color Box	G.W:16kgs
	Size:53x39.5x43cm/20pcs	

CVC10

| Car Vacuum Cleaner



12V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥5-7kpa
Noise:	≤75db



	Color Box	G.W:16kgs
	Size:57x53x38cm/20pcs	

CVC11

| Car Vacuum Cleaner



612V

SPECIFICATIONS:	
Voltage:	12V
Vacuity:	≥1.6kpa
Noise:	≤84db



	Color Box	G.W:14kgs
	Size:68x45.5x52cm/12pcs	





CBC01
| Car Battery Charger

4A



SPECIFICATIONS:	
Input Voltage:	AC 110V/230V
Output Voltage:	DC 6V/12V
Output Current:	2.8A
Max.Charging Current:	4A



Color Box Size:42x41.5x24cm/6pcs G.W:9.5kgs

CBC02
| Car Battery Charger

6A



SPECIFICATIONS:	
Input Voltage:	AC 110V/230V
Output Voltage:	DC 6V/12V
Output Current:	3.5A
Max.Charging Current:	6A



Color Box Size:42x41.5x24cm/6pcs G.W:9.5kgs

CBC03
| Car Battery Charger

8A



SPECIFICATIONS:	
Input Voltage:	AC 110V/230V
Output Voltage:	DC 6V/12V
Output Current:	5.6A
Max.Charging Current:	8A



Color Box Size:45x44x28cm/6pcs G.W:15kgs

CBC04
| Car Battery Charger

12A



SPECIFICATIONS:	
Input Voltage:	AC 110V/230V
Output Voltage:	DC 6V/12V
Output Current:	8.5A
Max.Charging Current:	12A



Color Box Size:45x44x28cm/6pcs G.W:15kgs



CJS01
| Car Jump Starter

10A



SPECIFICATIONS:	
Voltage:	DC 12V
Battery Capacity:	10Ah(Lead Acid Battery)
Pressure:	250psi



Color Box Size:37x34x34cm/2pcs G.W:12kgs

CJS02
| Car Jump Starter

12A



SPECIFICATIONS:	
Voltage:	DC 12V
Battery Capacity:	12Ah(Lead Acid Battery)
Pressure:	250psi



Color Box Size:37x34x34cm/2pcs G.W:13kgs

CJS03
| Car Jump Starter


17A



SPECIFICATIONS:	
Voltage:	DC 12V
Battery Capacity:	17Ah(Lead Acid Battery)
Pressure:	250psi



Color Box Size:37x34x34cm/2pcs G.W:14kgs



CW01
| Car Wrench




100W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	100W
Max.Current:	12A
Fuse Wire:	15A
Max.Torque:	340N.m



Color Box Size:40.5x31.5x40cm/6pcs G.W:13.5kgs



CJ01
| Car Jack



50W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	50W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	3T
The Range Of Lift:	135-360mm
Max.Pressure:	150PSI
Air Flow:	35L/min



Color Box Size:39x37x39.5cm/4pcs G.W:24kgs

CJ02
| Car Jack



150W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	150W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	5T
The Range Of Lift:	155-450mm
Max.Pressure:	150PSI
Air Flow:	35L/min



Color Box Size:39x37x39.5cm/4pcs G.W:24kgs

CJ03
| Car Jack



150W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	150W
Max.Current:	13A
Fuse Wire:	15A
Max.Loading Weight:	3T
The Range Of Lift:	135-360mm



Color Box Size:34x32x38cm/4pcs G.W:17kgs

CJ04
| Car Jack



150W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	150W
Max.Current:	13A
Fuse Wire:	15A
Max.Loading Weight:	5T
The Range Of Lift:	155-450mm



Color Box Size:34x32x38cm/4pcs G.W:17kgs

CJ05
| Car Jack



150W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	150W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	3T
The Range Of Lift:	135-360mm
Max.Pressure:	150PSI
Air Flow:	35L/min



Color Box Size:38x34.5x40.5cm/4pcs G.W:21.5kgs

CJ06
| Car Jack



150W

SPECIFICATIONS:	
Input Voltage:	DC 12V
Input Power:	150W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	5T
The Range Of Lift:	155-450mm
Max.Pressure:	150PSI
Air Flow:	35L/min



Color Box Size:38x34.5x40.5cm/4pcs G.W:21.5kgs



CJ07

Car Jack Combination



150W/100W

Car Jack Car Wrench



BMC+Label
Size:57x39.5x37.5cm/3pcs

G.W:31kgs

SPECIFICATIONS:	Car Jack
Input Voltage:	DC 12V
Input Power:	150W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	3T
The Range Of Lift:	135-360mm
Max.Pressure:	150PSI
Air Flow:	35L/min

SPECIFICATIONS:	Car Wrench
Input Voltage:	DC 12V
Input Power:	100W
Max.Current:	12A
Fuse Wire:	15A
Max.Torque:	340N.m

CJ08

Car Jack Combination



150W/100W

Car Jack Car Wrench



BMC+Label
Size:57x35x37cm/3pcs

G.W:28.5kgs

SPECIFICATIONS:	Car Jack
Input Voltage:	DC 12V
Input Power:	150W
Max.Current Of Jack:	13A
Max.Current Of Inflator Pump:	10A
Fuse Wire:	15A
Max.Loading Weight:	3T
The Range Of Lift:	135-360mm
Max.Pressure:	150PSI
Air Flow:	35L/min

SPECIFICATIONS:	Car Wrench
Input Voltage:	DC 12V
Input Power:	100W
Max.Current:	12A
Fuse Wire:	15A
Max.Torque:	340N.m

CJ09

Car Jack Combination



150W/100W

Car Jack Car Wrench



BMC+Label
Size:57x39.5x37.5cm/3pcs

G.W:31kgs

SPECIFICATIONS:	Car Jack
Input Voltage:	DC 12V
Input Power:	150W
Max.Current:	13A
Fuse Wire:	15A
The Range Of Lift:	135-360mm

SPECIFICATIONS:	Car Wrench
Input Voltage:	DC 12V
Input Power:	100W
Max.Current:	12A
Fuse Wire:	15A
Max.Torque:	340N.m

